

Brand-name umbrellas & accessories

## 2023 Catalogue







**SUMMER** 

even better!



# Your competent & reliable partner



The brand "Schneider Schirme" embodies carefully selected materials and an attractive design. These characteristics ensure that our products will always operate flawlessly. Various institutions have consistently attested to this quality over the years.



Established in 1868, our company is owned and operated in the 5th generation and has always managed to adapt to the needs of the times. This know-how and experience have made us one of the market leaders in Europe.





With sales displays for sun umbrellas, shade sails, accessories and umbrella stands, we support retailers in their presentation of our products at the point of sale.



Whether you need standard, large, restaurant or professional umbrellas, in small or large quantities, single-colour or printed, Schneider Umbrellas is your ideal partner.



# Rooted in the region, connected world-wide

Investments in our production and storage facilities in the south of Germany and the expansion of international relations are key contributors to our success and guarantee optimal merchandise supply. The commitment to our home location, quality and customer proximity is as strong as ever.







Since responsible protection against UV radiation has been a great concern of ours from the start, all of our umbrellas are always certified in accordance with international standards.







Completion of the annex building



Expansion and simultaneous move of production and administration to Obereschring in Mengen



Expansion in Mengen's 1973 industrial park



Garden umbrellas are 1967 produced for the first time

2011 Expansion+ by high-bay2014 warehouses 1 & 2



1995 Representing the family's fifth generation, Rolf Guffarth joins the company as its Managing Director

1969 Release of the first catalogue of garden umbrella products

1868 Company founded as a factory for rain umbrellas



















# NEW to the Premium segment:

Attractive design and ergonomic form, combined with stylish colours, give the Premium segment its own special appearance!





## Aquila

200 cm Ø Art. no. 753-.. 250 cm Ø

Art. no. 754-..





## Canopy:

100 % polyester, ca. 220 g/m², rot-proof, water-repellent impregnation, with structured surface, with valance, with band trim

## Frame:

anthracite powder-coated steel frame,

metal tilt mechanism with button, slider, locking knob and top feature a 2-colour "soft-grip" design,

two-part pole 22/25 mm for size 200 cm  $\varnothing$ , two-part pole 27/30 mm for size 250 cm  $\varnothing$ 



Premium top with soft grip



Premium slider with soft grip




Metal tilt mechanism with button



Premium locking knob with soft grip







...-04 gold yellow











...-14 silver grey

ca. 200 cm Ø













ca. 250 cm Ø













## Aquila

225 x 120 cm

Art. no. 755-..

265 x 150 cm

Art. no. 756-..





## Canopy:

100 % polyester, ca. 220 g/m², rot-proof, water-repellent impregnation, with structured surface, with valance, with band trim

## Frame:

anthracite powder-coated steel frame, metal tilt mechanism with button,

slider, locking knob and top feature a 2-colour "soft-grip" design,

two-part pole 27/30 mm braces of sturdy fibreglass



Premium top with soft grip



Braces of sturdy fibreglass




Metal tilt mechanism with button



Premium locking knob with soft grip







...-04 gold yellow











...-14 silver grey

ca. 225 x 120 cm













ca. 265 x 150 cm











## Bermuda

350 cm Ø

Art. no. 733-..





## Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, highly fade-resistant, without valance, with air vent, removable for washing by hand, includes light-proof protective sleeve with zip and rod


silver grey powder-coated aluminium/ steel frame, top joint, cast aluminium handle and crown, ca. 26 x 18 mm braces, one-part pole ca. 55 x 86 mm, includes cross base for  $50 \times 50 \times 5$  cm paving slabs (slabs not included)

## Adjustable in 3 dimensions:

- 1. Rotary plate for rotating 360° with foot pedal
- 2. Tilts up to 50° along the pole
- 3. Can be tilted on both sides up to 45° along the radial arm (by handle)

## TIP: For matching accessories, please refer to page 64 - 67























Pivoting umbrella canopy





Handle for opening, inclining and tilting

Solid rotary joint with foot pedal

Application video







## Bermuda

260 x 350 cm

Art. no. 734-..





## Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, highly fade-resistant, without valance, with air vent, removable for washing by hand, includes light-proof protective sleeve with zip and rod


### Frame:


silver grey powder-coated aluminium/ steel frame, top joint, cast aluminium handle and crown, ca. 26 x 18 mm braces, one-part pole ca. 55 x 86 mm, includes cross base for  $50 \times 50 \times 5$  cm paving slabs (slabs not included)

### Adjustable in 3 dimensions:

- 1. Rotary plate for rotating 360° with foot pedal
- 2. Tilts up to 50° along the pole
- 3. Can be tilted on both sides up to 45° along the radial arm (by handle)

TIP: For matching accessories, please refer to page 64 - 67











260 x 350 cm





Sturdy umbrella mount



Pivoting umbrella canopy





Handle for opening, inclining and tilting

Solid rotary joint with foot pedal









## Monaco



**Brace joints** 

Brace ends

Crank




## Canopy:

100 % polyester, ca. 280 g/m², rot-proof, water-repellent impregnation, highly fade-resistant, without valance, with air vent, removable for washing by hand, includes protective sleeve with zip and rod

## Frame:

silver grey powder-coated aluminium/steel, two-part pole 48 mm Ø, braces 17 x 25 mm, crank to open







ca. 350 cm Ø










100 % polyester, ca. 280 g/m², rot-proof, water-repellent impregnation, highly fade-resistant, without valance, with air vent, removable for washing by hand, includes light-proof protective sleeve with zip and rod


## Frame:

silver grey powder-coated aluminium/steel, braces 17 x 25 mm, one-part pole 55 x 86 mm, rotary plate for rotating 360° with foot pedal, tilting, includes cross base for 50 x 50 x 5 cm paving slabs (slabs not included)

## TIP: For matching accessories, please refer to page 64 - 67










**Brace joints** 









ca. 300 x 300 cm



Application video



Assembly instructions



## Gemini

Art. no. 644-..





## Canopy:

100 % polyester, ca. 220 g/m², rot-proof, water-repellent impregnation, without valance, with large air vent, with structured surface, removable for washing by hand

## Frame:

silver grey powder-coated aluminium frame, with fine line structure, two-part pole 48 mm Ø, braces 12 x 18 mm, crank, all components in two-colour design



Large air vent (air outlet)






Sturdy slider

Premium crank



















## Premium Protective sleeves





## **PREMIUM** protective sleeves

High-quality protective umbrella sleeves for your PREMIUM umbrellas. Made of durable, waterproof and light-proof special polyester fabric. The drawstring features a stopper for closing the protective sleeve at the bottom to prevent insects and mice from building nests (except 321-00).

The sizes for 300 cm Ø and larger also feature a zip and telescoping rod for convenient covering of the closed umbrella, without having to remove it from the umbrella stand.


Sizes 400 cm Ø and larger also come with an air vent for improved air circulation.

Packaged in a sturdy zip bag with a carrying strap, which can also be used for storage.

Packaging unit: 6 items



145 x 20/25 cm	321-00	for umbrellas up to 200 cm Ø and 225 x 120 cm	4 000570 321006
183 x 25/35 cm	322-00	for umbrellas up to 300 cm $\emptyset$ , with zip and rod	4 000670 322003
250 x 27/45 cm	323-00	for umbrellas up to 400 cm $\varnothing$ and 300 x 300 cm, with zip, rod and air vent	4 000570 323000
240 x 57 cm	324-00	for hanging umbrellas up to 400 cm Ø and 300 x 300 cm and 350 x 260 cm, with zip, rod and gir vent	4 000570





# NEW in the Classics segment:

Schneider umbrellas fulfil stringent requirements at reasonable prices. Tested materials and standardised manufacturing processes guarantee consistent quality – and the customer is grateful for that!









## Locarno

150 cm Ø 200 cm Ø 220 cm Ø 180 x 120 cm

Art. no. 715-.. Art. no. 716-.. Art. no. 717-.. Art. no. 718-..





## Canopy:

100 % polyester, ca. 160 g/m<sup>2</sup>, rot-proof, water-repellent impregnation, with band trim, 150 cm Ø, 200 cm Ø, 180 x 120 cm with valance, 220 cm Ø without valance

silver grey powder-coated steel frame, all plastic parts anthracite grey, large slider with button, locking knob, ball top, metal tilt mechanism with button, two-part pole, 22/25 mm Ø



Large slider with button




Metal tilt mechanism with button



Locking knob

















ca. 150 cm Ø

ca. 200 cm Ø















ca. 220 cm Ø



718-74





717-77







Art. no. 681-..

180 x 120 cm Art. no. 682-..





### Canopy:

100 % polyester, ca. 150 g/m<sup>2</sup>, rot-proof, water-repellent impregnation, with valance, with band trim

white powder-coated steel frame, two-part pole 22/25 mm Ø, metal tilt mechanism, lower pole with locking knob

Packaging unit: 4 items per colour

.-0.5



Slider with button




Metal tilt mechanism



Lower pole with locking knob







...-02

ca. 180 x 120 cm 4 000570 683022









## Bilbao

220 cm Ø

210 x 130 cm

Art. no. 620-.. Art. no. 621-..






## Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

### Frame:

anthracite grey powder-coated steel frame with automatic tilt mechanism, two-part pole ca. 38 mm  $\varnothing$ , braces ca. 12 x 18 mm, crank to open





Dimensions (cm) for size 220 cm Ø:





...-78 apple green





ca. 220 cm Ø







ca. 210 x 130 cm 4 000570 621021







## 270 cm Ø

Art. no. 640-..





## Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

## Frame:

anthracite grey powder-coated steel frame, crank, metal tilt mechanism, two-part pole 38 mm Ø, ball top






Metal tilt mechanism



Crank





























100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, with valance, with air vent, removable for washing by hand

anthracite grey powder-coated aluminium/steel frame with automatic tilt mechanism, easy to operate by crank, crank housing in attractive design, two-part pole 38 mm Ø, ball top




...with convenient crank



Crank



















## Blacklight

270 cm Ø Art. no. 790-15





## Canopy:


100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

### Frame:

anthracite grey powder-coated aluminium aluminium frame, crank, metal tilt mechanism, two-part pole 38 mm Ø, LED light strips in the braces, 3 standard AA batteries in solar top, separate switch on crank housing, deep discharge protection, battery charge lasts ca. 6 hours









Brace joints and LED light strip

Crank and switch



ca. 270 cm Ø





100 % polyester, ca. 180 g/m², rot-proof, water repellent impregnation, without valance, with air vent, removable for washing by hand


### Frame

silver grey powder-coated aluminium frame, round braces with 16 mm Ø, crank, metal tilt mechanism, two-part pole 38 mm Ø



... black plastic parts ...







... provide for an elegant structure

Crank



















## Sevilla

270 cm Ø

240 x 140 cm

Art. no. 664-..

Art. no. 667-..





## Canopy:

100 % polyester, ca. 180 g/m<sup>2</sup>, rot-proof, water repellent impregnation, without valance, with air vent, removable for washing by hand

## Frame:

anthracite grey powder-coated steel frame with push-up opening, braces ca. 12 x 18 mm, metal tilt mechanism, height-adjustable up to 60 cm, two-part pole, upper pole ca. 38 mm Ø, lower pole ca. 34 mm Ø






Sturdy metal tilt mechanism




Locking knob







Dimensions (cm) for size 240 x 140 cm:









ca. 270 cm Ø















100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, highly fade-resistant, without valance, with air vent, removable for washing by hand

### Frame:

anthracite grey powder-coated steel frame, two-part pole 38 mm Ø, crank to open, automatic tilt mechanism



Frame: anthracite grey powder-coated




Automatic tilt mechanism



Crank















742-15 anthracite



















100 % polyester, ca. 180 g/m², rot-proof, water repellent impregnation, without valance, with air vent, removable for washing by hand

## Frame:

silver grey powder-coated steel frame, two-part pole 38 mm Ø, ca. 12 x 18 mm braces, crank to open, automatic tilt mechanism



Frame silver-grey powder-coated




(6

mechanism

Crank











ca. 300 x 200 cm









100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, with valance, with air vent, band trim, removable for washing by hand

## Frame:


white powder-coated steel frame, crank, metal tilt mechanism, two-part pole 38 mm Ø



Metal tilt mechanism

























Rooftop





## Canopy:

100 % polyester, ca. 220 g/m², rot-proof, water-repellent impregnation, without valance, with large air vent, removable for washing by hand, each segment fastened individually along the entire length of the brace for an optimum connection with the umbrella frame, includes light-proof protective sleeve with zip and rod

## Frame:

silver grey powder-coated aluminium frame, two-part pole 55 mm Ø, braces ca. 30 x 20 mm, crank to open, includes cross base for 8 paving slabs

40 x 40 x 5 cm (slabs not included)






Fastening along the entire length



Sturdy aluminium frame










677-14 silver

ca. 350 cm Ø







## Cordoba

270 cm Ø

230 x 150 cm

Art. no. 689-..

Art. no. 688-..





## Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water repellent impregnation, without valance, with air vent, removable for washing by hand

## Frame:

powder-coated steel frame with wood look, two-part pole 38 mm Ø, ca. 12 x 18 mm braces, crank to open, metal tilt mechanism



Metal tilt mechanism





Dimensions (cm) for size 270 cm Ø:



...-02



ca. 270 cm Ø











100 % polyester, ca. 180 g/m<sup>2</sup>, rot-proof, water repellent impregnation, without valance, with air vent, removable for washing by hand

## Frame:

powder-coated aluminium/steel frame in wood look, two-part pole 48 mm Ø, plug-in connection, all plastic parts in wood look, sturdy double cable mechanism, size 300 x 200 cm with tilt mechanism



Braces and pole in wood look




Slider in wood look



Tilt mechanism (only with 300 x 200 cm)



Dimensions (cm) for size 300 cm Ø:



Dimensions (cm) for size 300 x 200 cm:







614-85

..-85

ca. 300 cm Ø









300 x 200 cm



## **Adria**

300 cm Ø

350 cm Ø

Art. no. 684-..

Art. no. 685-..







## Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, colour-contrasting canopy seams to match frame colour, removable for washing by hand

### Frame:

anthracite grey powder-coated aluminium/steel frame, crank, two-part pole 48 mm Ø, size 300 cm additionally with sturdy metal tilt mechanism





Contrasting canopy seams



Metal tilt mechanism for size 300 cm  $\emptyset$ 





350 cm Ø













## Korsika

320 cm Ø Art. no. 711-..








## Canopy:

100 % polyester in attractive web look, ca. 220 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

## Frame:

anthracite grey powder-coated aluminium/steel-coated, crank, two-part pole 48 mm Ø




Frame anthracite grey power-coated



Sturdy crank











ca. 320 cm Ø







## Jumbo

300 cm Ø Art. no. 108-.. 400 cm Ø

Art. no. 110-..



## Canopy:

100 % high-quality brand-name polyester, ca. 260 g/m²,

highly tear-resistant and rot-proof, highly fade-resistant acc. to DIN EN ISO 105-B02,

highly water- and dust-repellent impregnation and acrylate coating up to 1,000 mm water column, without air vent, with valance, band trim, removable for washing by hand

### Frame:

powder-coated aluminium frame, anodised braces, cable mechanism with automatic locking, two-part pole 55 mm Ø, braces ca. 20 x 30 mm, can be replaced singly without tools thanks to new quick-change system







Concrete stand ca. 55 kg for 55 mm tube, with carrying handles

Art. no. 814-00





### Cross base

hot galvanised, extra heavy for paving slabs 50 x 50 x 5 cm, for 55 mm Ø tube (slabs not included)

Art. no. 839-00




## Quadro















Dimensions (cm) for size 400 cm Ø:



Dimensions (cm) for size 300 x 300 cm:





Aluminium frame, cable mechanism, automatic locking handle system



Standing seams with band trim for maximum waterproofness



Easy replacement of braces



Sturdy metal joints

## Salerno

300 x 150 cm

Art. no. 746-..






### Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, removable for washing by hand, includes grey polyester protective sleeve with zip and rod

anthracite grey powder-coated steel


crank to open, metal tilt mechanism, two-part pole 38 mm Ø




Crank to open

Metal tilt mechanism





























## Salerno mezza

150 x 150 cm


















## Canopy:


100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, removable for washing by hand, includes grey polyester protective sleeve with zip and rod


## Frame:

anthracite grey powder-coated steel frame, crank to open, two metal tilt mechanisms (tilt directions offset by 90°), two-part pole 38 mm Ø















747-15 anthracite











## Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, removable for washing by hand, includes polyester protective sleeve

## Frame:

69 cm in height

silver grey powder-coated aluminium/ steel frame, two-part pole 32 mm Ø, rotates and tilts in all directions, adjustable up to 20 cm sideways and



Slider for opening the canopy





Central adjustment




Locking knob with height adjustment























## Rhodos **Junior**

300 cm Ø Art. no. 760-..

Art. no. 759-..

230 x 230 cm 270 x 270 cm

Art. no. 786-..









100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand, incl. light-proof protective sleeve with zip and rod


### Frame:

anthracite grey powder-coated aluminium/steel frame, one-part pole 40 x 55 mm, braces ca. 14 x 20 mm, rotary plate for rotating 360° with foot pedal, tilting, includes cross base for paving slabs 50 x 50 x 5 cm (slabs not included)

## TIP: For matching accessories, please refer to page 64 - 67






































Crank mechanism integrated in handle



Solid rotary joint with foot pedal



Packing box: I) 300 cm Ø II) 230 x 230 cm

III) 270 x 270 cm

II) 15 cm III) 15 cm

Application video Assembly instructions









## **Rhodos**

300 x 300 cm

Art. no. 782-..





### Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, with valance, with air vent, with band trim, removable for washing by hand, includes light-proof protective sleeve with zip and rod

## Frame:

anthracite grey powder-coated aluminium/steel frame, one-part pole 53 x 77 mm, braces ca. 17 x 25 mm, rotary plate for rotating 360° with foot pedal, tilting, very sturdy brace joints, includes cross base for paving slabs 50 x 50 x 5 cm (slabs not included)



Sturdy braces




Crank mechanism integrated in handle




Solid steel rotary joint with foot pedal for locking!

### TIP: For matching accessories, please refer to page 64 - 67

















Application video







## Rhodos Smart

300 x 300 cm

Art. no. 794-..





## Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand, incl. light-proof protective sleeve with zip and rod


### Frame:


anthracite grey powder-coated aluminium frame, one-part pole ca. 58 x 93 mm, braces ca. 17 x 25 mm, for rotating 360° with hand lever, opening and closing as well as continuous incline adjustment at the pole, effortless operation with crank system,


includes cross base for paving slabs 50 x 50 x 5 cm (slabs not included)

## **TIP:** For matching accessories, please refer to page 64 - 67











Brace joints



Rotary joint





ca. 300 x 300 cm





Application video



Assembly instructions













Rhodos **Twist** 

300 x 300 cm

Art. no. 730-..

350 x 260 cm

Art. no. 732-..





#### Canopy:

100 % polyester, ca. 200 g/m<sup>2</sup>, rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand, incl. light-proof protective sleeve with zip and rod

### Frame:

anthracite grey powder-coated aluminium/steel frame, one-part pole 53 x 80 mm, braces ca. 26 x 18 mm, rotary plate for rotating 360° with foot pedal, tilting, tilts sideways along the arm, includes cross base for 50 x 50 x 5 cm paving slabs (slabs not included)


## Adjustable in 3 dimensions:


- 1. Rotary plate for rotating 360° with foot pedal
- 2. Tilts up to 50° along the pole
- 3. Can be tilted on both sides up to 45° along the radial arm (by handle)

## **TIP:** For matching accessories, please refer to page 64 - 67



Dimensions (cm) for size 300 x 300 cm:













-08



..-14

silver arev




Pivoting umbrella canopy



Handle for opening, inclining, tilting



Solid rotary joint with foot pedal



Application video



Assembly instructions



ca. 300 x 300 cm

44

# Rhodos Twist Woody

300 x 300 cm Art. no. 729-..





#### Canopy:

100 % polyester, ca. 200 g/m<sup>2</sup>, rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand incl. light-proof protective sleeve with zip and rod

### Frame:

powder-coated aluminium/steel frame in wood look, one-part pole ca. 53 x 80 mm, braces ca. 26 x 18 mm, rotary plate for rotating 360° with foot pedal, tilting, tilts sideways along the arm, includes cross base for 50 x 50 x 5 cm


paving slabs (slabs not included)


## Adjustable in 3 dimensions:

- 1. Rotary plate for rotating 360° with foot pedal
- 2. Tilts up to 50° along the pole
- 3. Can be tilted on both sides up to 45° along the radial arm (by handle)

### **TIP:** For matching accessories, please refer to page 64 – 67







Pivoting umbrella canopy



Handle for opening, inclining, tilting



Solid rotary joint with foot pedal





300 x 300 cm





Application video



Assembly instructions



## Rhodos Twist Bianco

300 x 300 cm Art. no. 731-..





### Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand, incl. light-proof protective sleeve with zip and rod

### Frame:

white powder-coated aluminium/steel frame, one-part pole ca. 53 x 80 mm, braces ca. 26 x 18 mm, rotary plate for rotating 360° with foot pedal, tilting,


tilts sideways along the arm, includes cross base for 50 x 50 x 5 cm paving slabs (slabs not included)


## Adjustable in 3 dimensions:

- 1. rotary plate for rotating 360° with foot pedal
- 2. tilts up to 50° along the pole
- 3. can be tilted on both sides up to 45° along the radial arm (by handle)

### **TIP:** For matching accessories, please refer to page 64 - 67











ca. 300 x 300 cm





Pivoting umbrella canopy



Handle for opening, inclining, tilting



Solid rotary joint with foot pedal

Application video



Assembly instructions



## **Rhodos** Grande

400 cm Ø Art. no. 789-..

400 x 300 cm Art. no. 787-..





### Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand, incl. light-proof protective sleeve with zip and rod

### Frame:

anthracite grey powder-coated aluminium frame, one-part pole 57 x 93 mm, braces ca. 17 x 25 mm, rotary plate for rotating 360° with foot pedal, tilting, includes cross base for 50 x 50 x 5 cm paving slabs (slabs not included)




Crank mechanism integrated in handle





Solid rotary joint with foot pedal

### **TIP:** For matching accessories, please refer to page 64 - 66










...-02 ecru





ca. 400 cm Ø





ca. 400 x 300 cm





Application video



Assembly instructions





### Canopy:


100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand, incl. light-proof protective sleeve with zip and rod


### Frame:

anthracite grey powder-coated aluminium frame, one-part pole 67 x 50 mm, braces 13 x 19 mm, LED light strips in the braces (the included batteries are charged by a solar module on the canopy or with the included USB cable, battery charge lasts ca. 6 hours), rotary plate for rotating 360° with foot pedal, tilting, includes cross base for 50 x 50 x 5 cm paving slabs (slabs not included)

TIP: For matching accessories, please refer to page 64 - 67









Solar top



Braces with LED light strips





Crank mechanism integrated in Solid rotary joint with foot pedal



ca. 300 cm Ø



Application video



Assembly instructions



## Rhodos Rondo

350 cm Ø Art. no. 792-..





## Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand, with band trim,

includes light-proof protective sleeve with zip and rod

#### Frame:

silver grey powder-coated aluminium frame,

one-part pole 53 x 77 mm, rotates 360°, tilting, braces ca. 14 x 24 mm, very sturdy brace joints, includes cross base for 50 x 50 x 5 cm paving slabs (slabs not included)




Adjustable inclination




Solid rotary joint with foot pedal

TIP: For matching accessories, please refer to page 64 - 67





















Assembly instructions









The sunny line of umbrellas is ideal for advertising campaigns, supplements or secondary placement. EU and Asian imports, stringently tested in accordance with Schneider quality standards, guarantee functional and durable umbrellas.

## The "sunny" sales display

allows the orderly display of the sunny products on page 52 – 54 – just where you need it: with the product assortment, as a secondary display or at the point of sale.

The display is delivered empty and must be assembled!

Art no 934-00





## **Shorty**

180 cm Ø

Art. no. 616-00



#### Canopy:

100 % polyester, ca. 140 g/m², rot-proof, water-repellent impregnation, with valance, 3 different stripe designs

#### Frame:

white powder-coated steel frame, three-part pole part 19/22 mm, folding mechanism for compact transport size (ca. 65 cm), includes carrying bag of the same fabric, with strap

Packaging unit: 12 items (The "sunny" sales display on page 51 is designed for 2 packaging units = 24 items)











## Easy

180 cm Ø

Art. no. 767-00

#### Canopy:

nylon, in practical carrying bag with carrying strap, assorted colours: berry, mandarin, apple green, blue

#### Frame:

silver grey powder-coated steel frame, two-part pole 19/22 mm, with removable ground spike and base plate

Packaging unit: 12 items (The "sunny" sales display on page 51 is designed for 2 packaging units = 24 items)



Ground spike and base plate for easy insertion and secure holding







All single parts can be stowed in practical carrying





180 cm Ø Art. no. 762-00

Canopy: nylon with valance

Assorted colours: mandarin, aqua, green

#### Frame:

white powder-coated steel frame, two-part pole 19/22 mm, metal tilt mechanism

Packaging unit: 12 items (The "sunny" sales display on page 51 is designed for 3 packaging units = 36 items)









SCHNEIDER











707-02











# Shade sails

Schneider shade sails of tear-resistant HDPE fabric or 100 % polyester feature impressive quality and versatility!



Teneriffa – HDPE fabric, various shapes and sizes (page 58)




Lanzarote – 100 % polyester, various shapes and sizes (page 59)

## **Teneriffa**

ca. 360 x 360 x 360 cm ca. 360 x 360 cm

Art. no. 230-..

Art. no. 232-..





High-quality tear-resistant HDPE fabric, ca. 185 g/m², rot-proof, highly fade-resistant, water-repellent, wind and water permeable, UV protection ca. 90 %, 3 or 4 stainless steel fastening rings, reinforced and tear-resistant edge seam, convex edges for good fit, includes fastening rope ca. 10 m



Sonnensegel

Fastening rings of stainless steel



Fastening rope ca. 10 m

## Shapes, sizes and colours:



ca. 360 x 360 x 360 cm Packaging unit: 1 item

ca. 500 x 500 x 500 cm Packaging unit: 1 item



ca. 360 x 360 cm Packaging unit: 1 item

ca. 500 x 500 cm Packaging unit: 1 item



ca. 360 x 250 cm Packaging unit: 1 item

ca. 500 x 360 cm Packaging unit: 1 item



























## Lanzarote

ca. 360 x 360 x 360 cm ca. 300 x 250 cm

Art. no. 240-.. Art. no. 242-..







100 % polyester, rot-proof, water-repellent impregnation, UV protection ca. 50 %, 3 or 4 stainless steel eyelets, double sewn edge seam, includes fastening rope ca. 10 m



Stainless steel eyelets



Fastening rope ca. 10 m

## Shapes, sizes and colours:



ca. 360 x 360 x 360 cm Packaging unit: 4 items

ca. 400 x 400 x 300 cm Packaging unit: 4 items



4 000570 241021









ca. 360 x 360 cm









Packaging unit: 2 items









ca. 300 x 250 cm Packaging unit: 4 items







## Clamping anchor

### for guying shade sails,

made of stainless steel, hooks on both sides, length 150 – 218 mm





Packaging unit: 5 items

## **D-shackle**

#### for fastening shade sails,

made of stainless steel 6 mm  $\emptyset$ , inner width 12 mm



Packaging unit: 5 items



## **Holding eyelet**

#### for fastening shade sails,

made of stainless steel Slab: 65 x 40 mm, hole Ø 5 mm Eyelet: 28 mm high, 6 mm Ø





Packaging unit: 5 items

## Eyelet bolt

#### for fastening shade sails,

made of stainless steel, includes 2 nuts and 2 flat washers

Total length: 140 mm Thread: M6 x 100 mm Eyelet: 30 mm outer Ø



Packaging unit: 5 items



## **Snap connector**

#### for fastening shade sails,

made of stainless steel 6 x 60 mm





Packaging unit: 5 items

## Tension spring

#### for guying shade sails,

made of stainless steel, great stability, tensile force: 300 N Length ca. 145 mm





Packaging unit: 5 items




## Pole

#### for fastening shade sails,

universal ground anchor

made of steel, hot galvanised, great stability, ca. 60 mm Ø, height ca. 241 cm, rotates 360° for ideal alignment in the ground plate, fastening point continuously height adjustable from 145 cm to 230 cm, includes cable hoist with 5 m fastening rope and snap connector including rope clip and cleat matching our universal ground plate (Art. no. 897-00) matching our

Packaging unit: 1 item





(Art. no. 897-50)

# Sales display

## for shade sails and accessories



Free-standing metal display on a EURO pallet with informative sign on top and room for scanner labels. Delivered assembled and fully equipped.

Front



Art. no.: 937-00






## Standard layout front Teneriffa shade sail

Quantity	Article number		Designation and size	Colour
2 items	230-02		360x360x360 cm	ecru
2 items	230-14		360x360x360 cm	silver grey
2 items	231-02		500x500x500 cm	ecru
2 items	231-14	iffa	500x500x500 cm	silver grey
2 items	232-02	Jer	360x360 cm	ecru
2 items	232-14	Shade sail <b>Teneriffo</b>	360x360 cm	silver grey
2 items	233-02	Š U	500x500 cm	ecru
2 items	233-14	Shad	500x500 cm	silver grey
2 items	234-02		360x250 cm	ecru
2 items	234-14		360x250 cm	silver grey
2 items	235-02		500x360 cm	ecru
2 items	235-14		500x360 cm	silver grey

## Standard layout rear Lanzarote shade sail & accessories

Quantity	Article number		Designation and size		Colour
4 items	240-02		360x360x360 cm		ecru
4 items	240-14		360x360x360 cm	silver grey	
4 items	240-77		360x360x360 cm		red
4 items	241-02	Lanzarote	400x400x300 cm		ecru
4 items	241-14	אַכ	400x400x300 cm		silver grey
4 items	241-78	Γā	400x400x300 cm		apple green
		Sail			İ
4 items	242-02	SC	300x250 cm		ecru
4 items	242-14	9	300x250 cm		silver grey
4 items	242-77	Shade	300x250 cm		red
		S			i
4 items	244-02		360x360 cm		ecru
4 items	244-14		360x360 cm		silver grey
4 items	244-78		360x360 cm		apple green
5 items	250-10	Cla	mping anchor		
5 items	250-20	D-sł	nackle		
5 items	250-30	Hole	ding eyelet		
5 items	250-40	Eye	let bolt		
5 items	250-50	Sna	p connector		
5 items	250-60	Ten	sion spring		
2 items	251-00	Pole	e		
2 items	897-00	Univ	versal ground plate		_







The practical accessories ensure secure support of your Schneider umbrellas wherever they are used. Schneider umbrella accessories, like all other Schneider products, are carefully inspected for quality and workmanship.

The new standardised packaging enhances the appearance to boost sales at the point of sale.

# NEW in Accessories:



Universal wall bracket

(page 64)

## **Universal** mounts

Installation on one of the mounts requires that the rotary plate (see detail images) be directly screwed onto the selected mount using the screws (M8x20) that have been included with the umbrella.


There is therefore no need for the cross base. You can store the base and use it as needed if you change locations temporarily.

The elimination of the cross base reduces the overall height of the umbrella by about 5 cm.

Our tip: Before you use one of the mounts listed, we recommend that you first use the umbrella with the included cross base for a few weeks in order to determine the ideal location for your umbrella.

#### Suitable for

- Monaco 3 x 3 m
- Bermuda
- Rhodos Junior series
- Rhodos Grande (Universal ground plate only)
- Rhodos Twist series
- Rhodos
- Rhodos Blacklight
- Rhodos Rondo
- Rhodos Smart
- Genua
- Mast for shade sail (Universal ground plate and Universal ground anchor only)



## Universal wall console

For installation on walls, hot galvanised, mounting plate ca. 20 x 16 cm, great stability, space-saving installation option,

size: 21 x 16 x 16 cm

Suitable for the umbrellas listed above, depending on the height of the wall and the fastening point of the universal wall console.
















# Universal ground plate

to be set in concrete, hot galvanised, mounting plate ca. 16 x 16 cm, total height ca. 40 cm



Minimum dimensions for the concrete foundation:







# Universal ground anchor


For anchoring in the ground\* or setting in concrete, hot galvanised, mounting plate ca. 16 x 16 cm, total height ca. 45 cm

\* Only in undisturbed topsoil! Not suitable for sandy or stony soils!





Minimum dimensions for the concrete foundation:











# Universal ground stake

For anchoring, hot galvanised, mounting plate ca. 16 x 16 cm, total height ca. 55 cm, anchoring tool included








# Hanging umbrella wind stabiliser



This wind stabiliser made of robust, black polyester straps reduces unsteadiness of the umbrella caused by wind and therefore also the strain on the umbrella frame. It can be mounted on all hanging umbrellas with a locking screw on the lower part of the pole and a maximum pole circumference of 260 mm, without the use of tools.

#### **IMPORTANT:**

The hanging umbrella wind stabiliser does **not** increase the stability of the hanging umbrella. The stability depends primarily on the weight and the size of the umbrella stand that is used! The wind stabiliser only reduces the movement of the canopy and the strain on the umbrella frame. The hanging umbrella should always be closed in windy conditions.



- Monaco 3 x 3 m Bermuda
- Rhodos Grande Rhodos Twist series
- Rhodos Rhodos Blacklight Rhodos Rondo
- Rhodos Smart

## Scope of delivery:

1x pole fastener 2x brace fasteners 2x tie-down straps





# Slabs for hanging umbrellas

Slabs suitable for cross bases of hanging umbrellas. For filling with water from the side. Filled 100 kg and therefore suitable for hanging umbrellas. Walkable! The interlocking design creates a continuously connected unit.


Overall height of the umbrella is about 5cm higher.


#### Suitable for our umbrellas:


- Monaco 3 x 3 m Bermuda Rhodos Junior series
- Rhodos Twist series Rhodos Rhodos Blacklight
- Rhodos Rondo Genua

1 set consists of 4 elements. Total size ca. 111 x 111 x 12 cm Empty weight: ca. 12 kg/set









## Stand for hanging umbrellas, mobile



Sturdy frame of powder-coated steel with foot pedal for raising, anthracite grey plastic cover colour matched to our hanging umbrellas, 4 PU-coated steering rollers, 5 plastic tanks for filling with sand and/or water, total weight ca. 110 kg (with sand) or ca. 90 kg (with water), overall height of umbrella is about 15 cm higher.

#### Suitable for our umbrellas:

- Monaco 3 x 3 m Bermuda
- Rhodos Junior series Rhodos
- Rhodos Twist series
- Rhodos Blacklight
- Rhodos Rondo Rhodos Smart



Hole pattern for mounting

the umbrella holder:



pressed




Plastic tanks and rollers



Plastic tank for filling

Art. no. 319-15



Steering bar for mobile stands for hanging umbrellas


Allows effortless movement of the mobile hanging umbrella stand by mounting between the rotating plate of the umbrella and the mounting plate of the umbrella stand.

Rod is collapsible.

Can also be retrofitted in existing hanging umbrella stands (Art. no. 319-15).

Can also be used with other mobile umbrella stands with a suitable hole pattern.

Hole pattern for mounting



Art. no. 319-50







## Table clamp

made of galvanised steel, for poles up to 32 mm Ø

Clamping area: Round profiles: 40 mm Ø

Flat profiles: 38 mm Ø









Blister packaging made of recycled PET bottles.

Packaging unit: 12 items

## **Balcony clamp**

made of galvanised steel, Clamping area: 190 mm

For vertical mounting: For poles up to 25 mm Ø For horizontal mounting: For poles up to 32 mm Ø

> (For poles up to 38 mm Ø only approved for use with additional balcony stand or second

balcony clamp.)



Blister packaging made of recycled PET bottles.

Packaging unit: 6 items





## Lawn spike

made of galvanised steel, for poles up to 25 mm Ø






Blister packaging made of recycled PET bottles.

Packaging unit: 6 items





## Lower poles



Packaging unit: 6 items



silver grey

25 mm Ø (inside: 23 mm Ø)



Packaging unit: 6 items





30 mm Ø (inside: 28 mm Ø)

25 mm Ø

(inside:



Packaging unit: 6 items

## **Ground sleeve**

of anodised aluminium, for poles with 38 - 50 mm Ø for large umbrellas up to 400 cm Ø

Art. no. 827-00

Blister packaging made of recycled PET bottles.

Packaging unit: 4 items



## **Ground screw**

made of galvanised steel, for 38 - 58 mm Ø poles, 3 sturdy centring screws, Total length: 50 cm

Art. no. 888-00

Packaging unit: 6 items





Four-peg lawn anchor

made of galvanised steel, collapsible, disassembled on delivery, for 25 - 38 mm Ø poles, for umbrellas up to 300 cm Ø

Art. no. 863-00



Packaging unit: 4 items









# Umbrella holders Foxi and Maxi





Innovative umbrella mounts for stable and secure mounting of sun umbrellas on balcony rails. The two half shells of the umbrella holder are each securely held by four screws, fastening the umbrella pole securely to the balcony rail.

The Allen key needed for this is included

Fibre-reinforced plastic provides maximum stability and an aesthetic design with no edges or corners.

Blister packaging made of recycled PET bottles.



## Foxi umbrella holder



#### **Combinations:**

Umbrella poles with	25 mm Ø	30 mm Ø	32 mm Ø	38 mm Ø
Round tube 5/4" (42.4 mm Ø)	yes	yes	yes	no



## Maxi umbrella holder





#### **Combinations:**

Umbrella poles with	25 mm Ø	30 mm Ø	32 mm Ø	38 mm Ø
Round tube 1" (33.7 mm Ø)	yes 1)	yes 1)	yes 1)	yes
Round tube 5/4" (42.4 mm Ø)	yes 1)	yes	yes	yes
Square tube 35 x 35 mm	yes	yes	yes	yes
Rectangular tube 50 x 30 mm	yes	yes	yes	yes 2)
Flat steel 40 x 6 mm	yes 1)	yes 1)	yes 1)	yes
Flat steel 50 x 6 mm	yes	yes	yes	yes
T-profile 40 x 40 x 6 mm	yes	yes	yes	yes

<sup>1)</sup> Only with M8x70 screws (M8x90 screws are included)

<sup>2)</sup> Only with M8x100 screws (M8x90 screws are included)



## Granite balcony umbrella stand

#### ca. 25 kg granite

polished granite surface, stainless steel tube with press-in tab, for 25 - 40 mm  $\varnothing$  poles

for centre-pole umbrellas up to 200 cm Ø and small rectangular umbrellas

Art. no. 865-00



Packaging unit: 10 items



# Concrete balcony umbrella stand

### ca. 20 kg concrete

plastic casing filled with concrete, for poles with 25 - 32 mm Ø, for centre-pole umbrellas up to 200 cm Ø and small rectangular umbrellas

Art. no. 889-14 silver grey



Packaging unit: 10 items



## PE balcony stand

## ca. 25 ltr., for filling with water

for 25-32 mm Ø poles,

for centre-pole umbrellas up to 200 cm  $\varnothing$  and small rectangular umbrellas, to be filled with sand or water

Art. no. 862-15 anthracite



Packaging unit: 5 items



## **Balcony cross base**

for poles with 30-40 mm  $\varnothing$ , for 40 x 40 cm or 50 x 50 cm paving slabs, for centre-pole umbrellas up to 250 cm  $\varnothing$  and small rectangular umbrellas, (slabs not included)

Art. no. 864-00



Packaging unit: 4 items



## **Granite stand**

polished granite surface, stainless steel tube, no need for plastic reduction rings, two recessed handles on sides

### ca. 30 kg, round

for poles with 25 - 40 mm  $\varnothing$ , for centre-pole umbrellas up to 250 cm  $\varnothing$  and small rectangular umbrellas

#### ca. 42 kg, square

for poles with 38 - 50 mm Ø, for centre-pole umbrellas up to 360 cm Ø



Art. no. 869-00



Packaging unit: 10 items



## PE stands for water

ca. 20 litres for poles from  $25 - 32 \text{ mm } \emptyset$ , to be filled with sand or water Packaging unit: 5, minimum order quantity: 60 items









ca. 45 litre, for poles from  $38 - 50 \text{ mm } \emptyset$ , to be filled with sand or water, with roller Packaging unit: 3 items, minimum order quantity: 36 items











## PE stands for sand

#### ca. 45 kg

with rollers and recessed handle, for 30 - 50 mm Ø poles, for centre-pole umbrellas up to 300 cm Ø



Packaging unit: 4 items



## Concrete stand

ca. 20 kg, for poles with  $25 - 32 \text{ mm } \emptyset$ , for centre-pole umbrellas up to 200 cm Ø and small rectangular umbrellas, plastic sleeve, two recessed handles on sides

Packaging unit: 10 items









ca. 30 kg, for 30 - 40 mm Ø poles, for centre-pole umbrellas up to 250 cm Ø and large rectangular umbrellas, plastic sleeve





Packaging unit: 10 items

ca. 40 kg, for 30 - 50 mm Ø poles, for centre-pole umbrellas up to 300 cm Ø, plastic sleeve, roller, handle





Packaging unit: 6 items



## Protective sleeves for sun & market umbrellas



100% polyester, light-proof for perfect protection against UV radiation and fading of the umbrella, water-repellent coating, breathable

Blister packaging made of recycled PET bottles. Packaging unit: 6 items

135 x 20/25 cm Art. no. 817-00

for umbrellas up to 200 cm Ø



183 x 25/35 cm Art. no. 821-00

for umbrellas Up to 300 cm Ø with zip and rod




250 x 27/44 cm Art. no. 833-00

for umbrellas up to 400 cm Ø with zip and rod









and  $400 \text{ cm } \emptyset$ . with zip and rod

## Protective sleeves for hanging umbrellas

100% polyester, light-proof for perfect protection against UV radiation and fading of the umbrella, water-repellent coating, breathable

Blister packaging made of recycled PET bottles. Packaging unit: 6 items

206 x 35/38 cm Art. no. 813-00



for hanging umbrellas up to 300 cm Ø with zip



240 x 57 cm

Art. no. 813-40  for hanging umbrellas up to 400 cm Ø, 300 x 300 cm and 350 x 260 cm, with zip and rod



up to 300 cm Ø,

with zip



up to 400 cm Ø

and 300 x 300 cm and 350 x 260 cm, with zip and rod

# POS displays



## Grid insert for accessories



- ideal for small presentations
- right next to the umbrellas
- no additional floor space needed

Art. no. 935-00



## Sales displays for sun umbrellas

**Provides space for:** - standard umbrellas with 25 - 32 mm tube  $\varnothing$ 

- market umbrellas with 38 mm tube Ø

- large umbrellas with 48 mm tube  $\varnothing$ 

Features: - surface area of half a EURO pallet

- can be stocked individually

- can be linked for uniform alignment

- endless combinations

- low removal height (28 cm)

- stackable

- washable

- 2 scanner strips with optimal scanning position

- no scratching of umbrella poles

- umbrellas stand upright, saving space

Art. no. 930-00



## **Display for** accessories



(includes double hooks) Delivered assembled and and fully equipped.

Art. no. 940-00

Display for hanging umbrellas



(includes slanted shelf) Delivered disassembled.

Art. no. 941-00

**Display for** umbrella stands



Provides space for ca. 2 x 10 umbrella stands. Delivered assembled and fully equipped.

Art. no. 890-00

**Display for** umbrella stands



Provides space for 15 PE 20 ltr. stands or 9 PE 45 ltr. stands. Size: ca. 53 x 53 x 215 cm

Art. no. 936-00

# Accessories at a glance Schneider Zubehör



												5	<b>D</b>	Crawita
Art. no.	Model		Table clamp	Balcony clamp	Lawn spike	Four-peg lawn anchor	Ground sleeve	Ground screw	Foxi umbrella holder	Maxi umbrella holder	Protective sleeve, up to 200 cm umbrella	Protective sleeve for up to 300 cm umbrella (with zip and rod)	Protective sleeve for up to 400 cm umbrella (with zip and rod)	Granite balcony umbrella stand ca. 25 kg
				1	1		Í							
			801-00	802-00	803-00	863-00	827-00	888-00	804-00	807-00	817-00 321-00	821-00 322-00	833-00 323-00	865-00
		Page	68	68	68	69	69	69	70	70	73/15	73/15	73/15	71
	SCHNEIDER						ı				ı			
750											,			
753	Aquila 200/8	8	✓	<i>,</i>	✓	1			✓ 	✓ 	<b>√</b>			✓ •
754 755	Aquila 250/10	8	1	<b>▲</b>		<i>J</i>			<b>A</b>	<b>▲</b>	321-00 only	<i>J</i>		•
756	Aquila 225 x 120 Aquila 265 x 150	9	<b>V</b>	<b>√</b>		<i>y</i>			<b>√</b>	<b>√</b>	321-00 Offig	<i>y</i>		•
775	Monaco 350/8	12		_		7	1	1	_	_		7		
544	Gemini 360/8	14					√ ✓	1					1	
)44	· ·						•	•					•	
	SCHNEIDER Classics													
715	Locarno 150/8	18	✓	1	✓	1			1	1	1			1
716	Locarno 200/8	18	1	✓	✓	✓			1	✓	✓			1
17	Locarno 220/10	18		<b>A</b>	1	1			<b>A</b>	•	1			•
18	Locarno 180x120	18	1	1	✓	✓			1	✓	1			1
80	Ibiza 200/8	19	1	✓	1	1			1	1	1			1
81	Ibiza 240/8	19		<b>A</b>		1			<b>A</b>	<b>A</b>	1			•
82	Ibiza 180 x 120	19	1	1	✓	1			1	1	1			1
20	Bilbao 220/6	20		<b>A</b>		1	1	1		1		1		1
521	Bilbao 210 x 130	20		<b>A</b>		1	1	1		1		1		1
40	Harlem 270/8	21		<b>A</b>		1	1	1		<b>A</b>		1		•
783	Orlando 270/8	22		<b>A</b>		1	1	1		<b>A</b>		1		•
790	Blacklight 270/8	23		<b>A</b>		1	1	1		<b>A</b>		1		•
583	Venedig 270/8	24		<b>A</b>		1	1	1		<b>A</b>		1		•
564	Sevilla 270/6	25		<b>A</b>		1	1	1		<b>A</b>		<b>√</b>		•
667	Sevilla 240x140	25		<b>A</b>		1	1	1		<b>A</b>		1		•
742	Tunis 270 x 150	26		<b>A</b>		1	1	1		<b>A</b>		1		•
543	Porto 300 x 20	27		<b>A</b>			1	1		<b>A</b>			✓	•
752	Oslo 300 x 200	28		<b>A</b>			1	1		<b>A</b>			<b>✓</b>	•
88	Cordoba 230x150	30		<b>A</b>		1	1	1		<b>A</b>		<b>√</b>		•
89	Cordoba 270/6	30		<b>A</b>		<b>✓</b>	<b>/</b>	<b>✓</b>		<b>A</b>		<b>√</b>		•
515	Malaga 300x200	31					<b>√</b>	<b>√</b>					<b>√</b>	
14	Malaga 300/8	31					<b>√</b>	<b>√</b>				<i>J</i>		
84	Adria 300/8	32					√ /	1				<b>√</b>	,	
685 711	Adria 350/8 Korsika 320/8	32					<i>J</i>	1				/	<b>✓</b>	
746	Salerno 300x150	36/37		<b>A</b>		1	1	1		•				•
47	S. mezza 150x150	38												
758	Novara 190x140	39		<b>A</b>		1			<b>A</b>	<b>A</b>				•
	SUNNY													
16-00	Shorty 180/8	52	1	1	✓						1			1
	Easy 180/8	52	1	1	/						1			1
	Isar 180/8	53	1	1	1						1			1
	Merkur 200/8	53	1	1	/	1			1	1	1			1
707	Napoli 270/6	54		<b>A</b>		1	1	1		<b>A</b>		1		•
525	Bergamo 300/6	54		<b>A</b>		1	1	1		<b>A</b>		1		

 <sup>✓</sup> Possible combination
 Additional fastening on balcony rail is necessary!
 ▲ Additional fastening necessary by umbrella stand or second umbrella holder!



											Zı	ubehor
Concrete	PE balcony	Balcony	Cross	Cross				Concrete	Concrete	Concrete	Granite	Granite
balcony stand	stand ca. 25 ltr.	cross base	stand Standard	stand Plus	PE stand ca. 20 ltr.	PE stand ca. 45 ltr.	PE stand ca. 45 kg	stand ca. 20 kg	stand ca. 30 kg	stand ca. 40 kg	stand ca. 30 kg	stand ca. 42 kg
ca. 20 kg	CG. 25 III.	Dase	Sidriddid	1 103				Cu. 20 kg	Cu. 50 kg	CG. 40 kg	CG. 50 kg	Cu. 42 kg
Î.	-	L/			-		ĵ	î	9	î	Ţ.	7
		1	X	K						4		
				4								
889-14	862-15	864-00	837-15	822-15	855-01 white 855-15 anthr.	856-01 white 856-15 anthr.	857-15 anthr.	877-14 silver grey 877-15 anthr.	878-15 anthr.	898-15 anthr.	867-00	869-00
71	71	71	69	69	72	72	72	72	72	72	71	71
1												1 1
/	•		<b>✓</b>		1			1	1		1	
•		•	/				1	•	1	1	1	
1	•	1	1		1		1	1	1	1	1	
•		•	1						1	1	1	
			1	1								1
			✓	1								1
 												1 1 1
1	1		<b>✓</b>		1			1	1		1	
1	•		1		1			1	1		1	
•	•		1						1		1	
<b>✓</b>	•		/		1			1	1		1	
1	•		1		1			1	1		1	
•	•		/						<i>\</i>		<b>/</b>	
✓	•		<b>√</b>		<b>/</b>			1	1		/	
		<i>J</i>	1	<i>J</i>		✓ ✓	<i>J</i>		<i>y</i>	✓ ✓	<i>J</i>	✓ ✓
		•	<b>✓</b>	<b>✓</b>		<b>/</b>	<i>y</i>		<b>-</b>	<i>'</i>		1
		•	/	1		<i>'</i>	1			<i>'</i>		1
		•	1	1		1	1			1		1
		•	1	1		1	1			1		1
		•	1	1		1	1			1		✓
		•	1	1		1	1			1		1
		•	/	1		<b>✓</b>	/			1		1
		•	1	<b>√</b>			/			/		<b>/</b>
		•	1	<i>J</i>		<b>/</b>	<i>J</i>			✓ ✓		✓ ✓
		•	✓ ✓	✓ ✓		<i>y</i>	<i>y</i>			<i>y</i>		✓ ✓
			<b>✓</b>	<b>✓</b>			<i>'</i>			<b>✓</b>		1
			1	1			1			1		1
			1	1			1			1		1
			<b>✓</b>	<b>✓</b>								<b>/</b>
		<b>√</b>	1	1		<b>√</b>	<b>J</b>			<i>J</i>		1
		✓ ✓	<b>✓</b>	<b>✓</b>		<b>V</b>	V			V		<b>√</b>
•	•	1	1				1			1		
												1
	_											
1	•		1		1			<i>J</i>				
✓ ✓	•		1		1			<i>J</i>				
1	•		✓ <b>/</b>		<i>y</i>			<i>y</i>	1		1	
		•	1	1		1	1		-	1		1
		•	1	1			1			1		1



## Xaver Schneider GmbH & Co. KG · Schirmfabrik

Obereschring 1 • 88512 Mengen • Germany

Phone +49 (0) 7572 7636-0 Fax +49 (0) 7572 7636-126

info@schneider-schirme.com www.schneider-schirme.com www.schneider-werbeschirme.com

Visit us also at:







Website







All dimensions are approximate! Subject to colour and size deviations, as well as technical modifications.