

Brand-name umbrellas & accessories

2024 Catalogue







Make your

SUMMER

even better





Your competent & reliable partner



The brand "Schneider Schirme" embodies carefully selected materials and an attractive design.
These characteristics ensure that our products will always operate flawlessly. Various institutions have consistently attested to this quality over the years.



Established in 1868, our company is owned and operated in the 5th generation and has always managed to adapt to the needs of the times. This know-how and experience have made us one of the market leaders in Europe.





With sales displays for sun umbrellas, shade sails, accessories and umbrella stands, we support retailers in their presentation of our products at the point of sale.



Whether you need standard, large, restaurant or professional umbrellas, in small or large quantities, single-colour or printed, Schneider Umbrellas is your ideal partner.



Rooted in the region, connected world-wide

Investments in our production and storage facilities in the south of Germany and the expansion of international relations are key contributors to our success and guarantee optimal merchandise supply. The commitment to our home location, quality and customer proximity is as strong as ever.







Since responsible protection against UV radiation has been a great concern of ours from the start, all of our umbrellas are always certified in accordance with international standards.





Completion of the 2022 annex building



Expansion and simultaneous 2005 move of production and administration to Obereschring in Mengen



Expansion in Mengen's 1973 industrial park



Garden umbrellas are produced for the first time

2011 Expansion+ by high-bay2014 warehouses 1 & 2



1995 Representing the family's fifth generation, Rolf Guffarth joins the company as its Managing Director

1969 Release of the first catalogue of garden umbrella products

1868 Company founded as a factory for rain umbrellas























Premium segment:

Attractive design and ergonomic form, combined with stylish colours, give the Premium segment its own special appearance!







Aquila

200 cm Ø Art. no. 753-.. 250 cm Ø







Canopy:

100 % polyester, ca. 220 g/m², rot-proof, water-repellent impregnation, with structured surface, with valance, with band trim

Frame:

anthracite powder-coated steel frame, metal tilt mechanism with button, slider, locking knob and top feature a 2-colour "soft-grip" design, two-part pole 22/25 mm for size 200 cm Ø, two-part pole 27/30 mm for size 250 cm Ø



Premium top with soft grip



Premium slider with soft grip




Metal tilt mechanism with button



Premium locking knob with soft grip







.













...-14 silver grey

ca. 200 cm Ø











4 000570 7531

ca. 250 cm Ø



754-04 4 000570 754040









Aquila

225 x 120 cm

265 x 150 cm

Art. no. 755-..

Art. no. 756-..





Canopy:

100 % polyester, ca. 220 g/m², rot-proof, water-repellent impregnation, with structured surface, with valance, with band trim

Frame:

anthracite powder-coated steel frame, metal tilt mechanism with button, slider, locking knob and top feature a 2-colour "soft-grip" design, two-part pole 27/30 mm braces of sturdy fibreglass



braces of sturdy fibreglass




Metal tilt mechanism with button



Premium locking knob with soft grip













...-05







ca. 225 x 120 cm











ca. 265 x 150 cm







Bermuda

350 cm Ø

Art. no. 733-..



Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, highly fade-resistant, without valance, with air vent, removable for washing by hand, includes light-proof protective sleeve with zip and rod

silver grey powder-coated aluminium/ steel frame, top joint, cast aluminium handle and crown, ca. 26 x 18 mm braces, one-part pole ca. 55 x 86 mm, includes cross base for

50 x 50 x 5 cm paving slabs (slabs not included)


Frame:


Adjustable in 3 dimensions:

- 1. Rotary plate for rotating 360° with foot pedal
- 2. Tilts up to 50° along the pole
- 3. Can be tilted on both sides up to 45° along the radial arm (by handle)

TIP: For matching accessories, please refer to page 68 - 71



















Sturdy umbrella mount



Pivoting umbrella canopy





Handle for opening, inclin-ing and tilting

Solid rotary joint with foot pedal

















Bermuda



Art. no. 734-..



Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, highly fade-resistant, without valance, with air vent, removable for washing by hand, includes light-proof protective sleeve with zip and rod


silver grey powder-coated aluminium/ steel frame, top joint, cast aluminium handle and crown, ca. 26 x 18 mm braces, one-part pole ca. 55 x 86 mm, includes cross base for $50 \times 50 \times 5$ cm paving slabs (slabs not included)


Frame:


- Adjustable in 3 dimensions: 1. Rotary plate for rotating 360° with foot pedal
- 2. Tilts up to 50° along the pole
- 3. Can be tilted on both sides up to 45° along the radial arm (by handle)

TIP: For matching accessories, please refer to page 68 - 71













260 x 350 cm





Sturdy umbrella mount



Pivoting umbrella canopy





Handle for opening, inclin-ing and tilting

Solid rotary joint with foot pedal

Application video







Art. no. 775-15






Canopy:

100 % polyester, ca. 280 g/m², rot-proof, water-repellent impregnation, highly fade-resistant, without valance, with air vent, removable for washing by hand, includes protective sleeve with zip and rod

Frame:

silver grey powder-coated aluminium/steel, two-part pole 48 mm Ø, braces 17 x 25 mm, crank to open





Brace joints






Brace ends

Crank







ca. 350 cm Ø



Monaco

Art. no. 776-15





Canopy:


100 % polyester, ca. 280 g/m², rot-proof, water-repellent impregnation, highly fade-resistant, without valance, with air vent, removable for washing by hand, includes light-proof protective sleeve with zip and rod


Frame:

silver grey powder-coated aluminium/steel, braces 17 x 25 mm, one-part pole 55 x 86 mm, rotary plate for rotating 360° with foot pedal, tilting, includes cross base for $50 \times 50 \times 5$ cm paving slabs (slabs not included)

TIP: For matching accessories, please refer to page 68 - 71







Sturdy umbrella frame



Brace joints



Crank mechanism integrated in handle



Solid rotary joint with foot pedal



ca. 300 x 300 cm



Application video



Assembly instructions



Gemini

Art. no. 644-..



Canopy:

100 % polyester, ca. 220 g/m², rot-proof, water-repellent impregnation, without valance, with large air vent, with structured surface, removable for washing by hand

Frame:

silver grey powder-coated aluminium frame, with fine line structure, two-part pole 48 mm Ø, braces 12 x 18 mm, crank, all components in two-colour design



Finishing top



Large air vent (air outlet)






Sturdy slider

Premium crank



















Premium protective sleeves





PREMIUM protective sleeves

High-quality protective umbrella sleeves for your PREMIUM umbrellas.
Made of durable, waterproof and light-proof special polyester fabric. The drawstring features a stopper for closing the protective sleeve at the bottom to prevent insects and mice from building nests (except 321-00).

The sizes for 300 cm Ø and larger also feature a zip and telescoping rod for convenient covering of the closed umbrella, without having to remove it from the umbrella stand.

Sizes 400 cm Ø and larger also come with an air vent for improved air circulation.

Packaged in a sturdy zip bag with a carrying strap, which can also be used for storage.

Packaging unit: 6 items



145 x 20/25 cm	321-00	for umbrellas up to 200 cm Ø and 225 x 120 cm
183 x 25/35 cm	322-00	for umbrellas up to 300 cm \emptyset , with zip and rod
250 x 27/45 cm	323-00	for umbrellas up to 400 cm \varnothing and 300 x 300 cm, with zip, rod and air vent
240 x 57 cm	324-00	for hanging umbrellas up to 400 cm Ø and 300 x 300 cm and 350 x 260 cm, with zip, rod and air vent















NEW in the Classics segment:

Schneider umbrellas fulfil stringent requirements at reasonable prices. Tested materials and standardised manufacturing processes guarantee consistent quality – and the customer is grateful for that!







100 % polyester, ca. 160 g/m², rot-proof, water-repellent impregnation, with band trim, 150 cm Ø, 200 cm Ø, 180 x 120 cm with valance, 220 cm Ø without valance

silver grey powder-coated steel frame, all plastic parts anthracite grey, large slider with button, locking knob, ball top, metal tilt mechanism with button, two-part pole, 22/25 mm Ø



Large slider with button




Metal tilt mechanism with button



Locking knob





















ca. 150 cm Ø

ca. 200 cm Ø

ca. 220 cm Ø



4 000570 74657



...-74

citrus















716-15



180 x120 cm 4 000570









717-77







200 cm Ø

240 cm Ø

180 x 120 cm

Art. no. 680-.. Art. no. 681-.. Art. no. 682-..





Canopy:

100 % polyester, ca. 150 g/m², rot-proof, water-repellent impregnation, with valance, with band trim

white powder-coated steel frame, two-part pole 22/25 mm Ø, metal tilt mechanism, lower pole with locking knob

Packaging unit: 4 items per colour

.-0.5



Slider with button




Slider with button



Lower pole with locking knob







ca. 180 x 120 cm









Bilbao

220 cm Ø

210 x 130 cm



Art. no. 620-.. Art. no. 621-..



Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

anthracite grey powder-coated steel frame with automatic tilt mechanism, two-part pole ca. 38 mm Ø, braces ca. 12 x 18 mm, crank to open



Automatic tilt mechanism



Crank







...-02

4 000570 620024















ca. 220 cm Ø

ca. 210 x 130 cm 4 000570 621021

Harlem 270 cm Ø Art. no. 640-..





Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

Frame:

anthracite grey powder-coated steel frame, crank, metal tilt mechanism, two-part pole 38 mm Ø, ball top



grey powder-coated




Metal tilt mechanism



Crank

































100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, with valance, with air vent, removable for washing by hand

anthracite grey powder-coated aluminium/steel frame with automatic tilt mechanism, easy to operate by crank, crank housing in attractive design, two-part pole 38 mm Ø, ball top



Automatic tilt mechanism...




...with convenient crank



Crank











ca. 270 cm Ø







Blacklight

270 cm Ø Art. no. 790-15






Canopy:


100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

anthracite grey powder-coated aluminium aluminium frame, crank, metal tilt mechanism, two-part pole 38 mm Ø, LED light strips in the braces, 3 standard AA batteries in solar top, separate switch on crank housing, deep discharge protection, battery charge lasts ca. 6 hours









Solar top



Sturdy metal tilt mechanism



Crank and switch



ca. 270 cm Ø








100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

silver grey powder-coated aluminium frame, round braces with 16 mm Ø, crank, metal tilt mechanism, two-part pole 38 mm Ø



Dimensions (cm):





... black plastic parts ...



... provide for an elegant structure



Crank

















ca. 270 cm Ø

AS/NZS4399

Sevilla

270 cm Ø

240 x 140 cm

Art. no. 664-..

Art. no. 667-..





Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

Frame:

anthracite grey powder-coated steel frame with push-up opening, braces ca. 12 x 18 mm, metal tilt mechanism, height-adjustable up to 60 cm, two-part pole, upper pole ca. 38 mm Ø, lower pole ca. 34 mm Ø




Sturdy metal tilt mechanism




Locking knob



Dimensions (cm) for size 270 cm Ø:



Dimensions (cm) for size 240 x 140 cm:



...-02



silver grey

ca. 270 cm Ø















100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, highly fade-resistant, without valance, with air vent, removable for washing by hand

Frame:

anthracite grey powder-coated steel frame, two-part pole 38 mm Ø, crank to open, automatic tilt mechanism

Brace joints



Frame anthracite grey power-coated




Automatic tilt mechanism



Crank



































100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand


Frame:

silver grey powder-coated steel frame, two-part pole 38 mm Ø, ca. 12 x 18 mm braces, crank to open, automatic tilt mechanism



Frame silver-grey powder-coated







Automatic tilt mechanism

Crank







643-15 anthracite















100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, with valance, with air vent, band trim, removable for washing by hand

Frame:

white powder-coated steel frame, crank, metal tilt mechanism, two-part pole 38 mm Ø






Slider with button



Crank























Rooftop

350 cm Ø

Art. no. 677-..





Canopy:

100 % polyester,
ca. 220 g/m², rot-proof,
water-repellent impregnation,
without valance,
with large air vent,
removable for washing by hand,
each segment fastened
individually along the entire
length of the brace for an
optimum connection with the
umbrella frame,
includes light-proof protective
sleeve with zip and rod

Frame:

silver grey powder-coated aluminium frame, two-part pole 55 mm Ø, braces ca. 30 x 20 mm, crank to open, includes cross base for 8 paving slabs 40 x 40 x 5 cm (slabs not included)






Fastening along the entire length of the brace




Sturdy aluminium frame



Dimensions (cm):











ca. 350 cm Ø





Cordoba

270 cm Ø

230 x 150 cm



Art. no. 689-.. Art. no. 688-..

Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

Frame:

powder-coated steel frame with wood look, two-part pole 38 mm Ø, ca. 12 x 18 mm braces, crank to open, metal tilt mechanism






Slider with button



Crank



Dimensions (cm) for size 270 cm Ø:



Dimensions (cm) for size 230 x 150 cm:

...-02





ca. 270 cm Ø











100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

Frame:

powder-coated aluminium/steel frame in wood look, two-part pole 48 mm Ø, plug-in connection, all plastic parts in wood look, sturdy double cable mechanism, size 300 x 200 cm with tilt mechanism



Braces and pole in wood look





Tilt mechanism (only with 300 x 200 cm)



Dimensions (cm) for size 300 cm Ø:

Dimensions (cm) for size 300 x 200 cm:





614-15

anthracite





ca. 300 cm Ø







300 x 200 cm



Adria

300 cm Ø

350 cm Ø

Art. no. 685-..






Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, colour-contrasting canopy seams to match frame colour, removable for washing by hand

Frame:

anthracite grey powder-coated aluminium/steel frame, crank, two-part pole 48 mm Ø, size 300 cm additionally with sturdy metal tilt mechanism



Contrasting canopy seams




Metal tilt mechanism for size 300 cm Ø



Crank



Dimensions (cm) for size 300 cm Ø:



Dimensions (cm) for size 350 cm Ø:















ca. 300 cm Ø

350 cm Ø





Korsika

320 cm Ø Art. no. 711-..



Canopy:

100 % polyester in attractive web look, ca. 220 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

Frame:

anthracite grey powder-coated aluminium/steel-coated, crank, two-part pole 48 mm Ø




Frame anthracite grey powder-coated



Sturdy crank

















Jumbo

300 cm Ø

400 cm Ø

Art. no. 108-..

Art. no. 110-..



Canopy:

100 % high-quality brand-name polyester, ca. 260 g/m², highly tear-resistant and rot-proof, highly fade-resistant acc. to DIN EN ISO 105-B02, highly water- and dustrepellent impregnation and acrylate coating up to 1,000 mm water column, without air vent, with valance, band trim, removable for washing by hand

Frame:

powder-coated aluminium frame, anodised braces, cable mechanism with automatic locking, two-part pole 55 mm Ø, braces ca. 20 x 30 mm, can be replaced singly without tools thanks to new quick-change system







Concrete stand ca. 55 kg for 55 mm tube, with carrying handles

Art. no. 814-00





hot galvanised, extra heavy for paving slabs 50 x 50 x 5 cm, for 55 mm Ø tube


Art. no. 839-00



Quadro

Art. no. 111-..







Aluminium frame, cable mechanism, automatic locking handle system




Standing seams with band trim for maximum waterproofness





Easy replacement of braces



Sturdy metal joints








Dimensions (cm) for size 300 x 300 cm:

Dimensions (cm) for size 400 cm Ø:





Salerno

300 x 150 cm

Art. no. 746-..



Canopy:

100 % polyester, ca. 180 g/m^2 , rot-proof, water-repellent impregnation, without valance, removable for washing by hand, includes grey polyester protective sleeve with zip and rod

anthracite grey powder-coated steel frame, crank to open, metal tilt mechanism, two-part pole 38 mm Ø





Powder-coated steel frame





Crank to open



Slider with button





























Salerno mezza

Art. no. 747-..

150 x 150 cm





Canopy:


100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, removable for washing by hand, includes grey polyester protective sleeve with zip and rod


Frame:


anthracite grey powder-coated steel frame, crank to open, two metal tilt mechanisms (tilt directions offset by 90°), two-part pole 38 mm Ø



































Art. no. 758-..

Novara

190 x 140 cm





Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, removable for washing by hand, includes polyester protective sleeve

Frame:

silver grey powder-coated aluminium/ steel frame, two-part pole 32 mm Ø, rotates and tilts in all directions, adjustable up to 20 cm sideways and 69 cm in height







Central adjustment




Locking knob with height adjustment























Rhodos Junior

300 cm Ø 230 x 230 cm 270 x 270 cm

Art. no. 759-..

Art. no. 786-..





Art. no. 760-..



100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand incl. light-proof protective sleeve with zip and rod


ca. 230 x 230 cm 4 000570 759021

ca. 270 x 270 cm 4 000570 786027


Frame:

anthracite grey powder-coated aluminium/steel frame, one-part pole 40 x 55 mm, braces ca. 14 x 20 mm, rotary plate for rotating 360° with foot pedal, tilting, includes cross base for paving slabs 50 x 50 x 5 cm (slabs not included)

TIP: For matching accessories, please refer to page 68 - 71



AS/NZS4399



Solid rotary joint with foot pedal

Crank mechanism integrated in handle

Application video Assembly instructions





Rhodos 300 x 300 cm Art. no. 782-..








100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, with band trim, removable for washing by hand, incl. light-proof protective sleeve with zip and rod


Frame:

anthracite grey powder-coated aluminium/steel frame, one-part pole 53 x 77 mm, braces ca. 17 x 25 mm, rotary plate for rotating 360° with foot pedal, tilting, very sturdy brace joints, includes cross base for paving slabs $50 \times 50 \times 5 \text{ cm}$ (slabs not included)

TIP: For matching accessories, please refer to page 68 - 71









Sturdy braces



Crank mechanism integrated in handle



Solid steel rotary joint with foot pedal for locking!

























Rhodos Smart

Art. no. 794-..

300 x 300 cm





Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand incl. light-proof protective sleeve with zip and rod

Frame:

anthracite grey powder-coated aluminium frame, one-part pole ca. 58 x 93 mm, braces ca. 17 x 25 mm, for rotating 360° with hand lever, opening and closing as well as continuous incline adjustment at the pole, effortless operation with crank system, includes cross base for paving slabs 50 x 50 x 5 cm (slabs not included)






Brace joints




Rotary joint

TIP: For matching accessories, please refer to page 68 - 71











ca. 300 x 300 cm






Application video



Assembly instructions







Rotate by 360° via hand lever



Rhodos 300 x 300 cm 350 x 260 cm **Twist** Art. no. 730-.. Art. no. 732-..





Handle for opening, inclining, tilting



Dimensions (cm) for size 350 x 260 cm: Solid rotary joint with foot pedal

300 cm





Application video

Assembly instructions



Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand incl. light-proof protective sleeve with zip and rod

Frame:

anthracite grey powder-coated aluminium/steel frame, one-part pole 53 x 80 mm, braces ca. 26 x 18 mm, rotary plate for rotating 360° with foot pedal, tilting, tilts sideways along the arm, includes cross base for $50 \times 50 \times 5$ cm paving slabs (slabs not included)

350 cm

Adjustable in 3 dimensions:

- 1. Rotary plate for rotating 360° with foot pedal
- 2. Tilts up to 50° along the pole
- 3. Can be tilted on both sides up to 45° along the radial arm (by handle)

TIP: For matching accessories, please refer to page 68 - 71




Also available

vith recycled

canopy

(see page 53

Dimensions (cm) for size 300 x 300 cm:



-14





-08





-15 anthracite

ca. 300 x 300 cm





Rhodos Twist Woody

300 x 300 cm

Art. no. 729-..





Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand incl. lightproof protective sleeve with zip and rod

Frame:


powder-coated aluminium/steel frame in wood look, one-part pole ca. 53 x 80 mm, braces ca. 26 x 18 mm, rotary plate for rotating 360° with foot pedal, tilting, tilts sideways along the arm, includes cross base for 50 x 50 x 5 cm paving slabs (slabs not included)


Adjustable in 3 dimensions:

- 1. Rotary plate for rotating 360° with foot pedal
- 2. Tilts up to 50° along the pole
- 3. Can be tilted on both sides up to 45° along the radial arm (by handle)

TIP: For matching accessories, please refer to page 68 – 71







Pivoting umbrella canopy



Handle for opening, inclining, tilting



Solid rotary joint with foot pedal





300 x 300 cm





Application video



Assembly instructions



Rhodos Twist Loft

300 x 300 cm

Art. no. 672-..





Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent,

removable for washing by hand incl. light-proof protective sleeve with zip and rod

Frame:


powder-coated aluminium/steel frame in wood look, one-part pole ca. 53 x 80 mm, braces ca. 26 x 18 mm, rotary plate for rotating 360° with foot pedal, tilting, tilts sideways along the arm, includes cross base for 50 x 50 x 5 cm paving slabs (slabs not included)


Adjustable in 3 dimensions:

- 1. Rotary plate for rotating 360° with foot pedal
- 2. Tilts up to 50° along the pole
- 3. Can be tilted on both sides up to 45° along the radial arm (by handle)

TIP: For matching accessories, please refer to page 68 - 71







Pivoting umbrella canopy



Handle for opening, inclining, tilting



Solid rotary joint with foot pedal











Application video



Assembly instructions



Rhodos Twist Bianco

300 x 300 cm

Art. no. 731-..





Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable f or washing by hand incl. light-proof protective sleeve with zip and rod

Frame:


white powder-coated aluminium/steel frame, one-part pole ca. 53 x 80 mm, braces ca. 26 x 18 mm, rotary plate for rotating 360° with foot pedal, tilting, tilts sideways along the arm, includes cross base for $50 \times 50 \times 5$ cm paving slabs (slabs not included)


Adjustable in 3 dimensions:

- 1. Rotary plate for rotating 360° with foot pedal
- 2. Tilts up to 50° along the pole
- 3. Can be tilted on both sides up to 45° along the radial arm (by handle)

TIP: For matching accessories, please refer to page 68 - 71











ca. 300 x 300 cm





Pivoting umbrella canopy



Handle for opening, inclining, tilting



Solid rotary joint with foot pedal

Application video



Assembly instructions



Rhodos Grande

400 cm Ø

Art. no. 789-..

400 x 300 cm

Art. no. 787-..





Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand incl. light-proof protective sleeve with zip and rod

Frame:

anthracite grey powder-coated aluminium frame, one-part pole 57 x 93 mm, braces ca. 17 x 25 mm, rotary plate for rotating 360° with foot pedal, tilting, includes cross base for $50 \times 50 \times 5$ cm paving slabs (slabs not included)


TIP: For matching accessories, please refer to page 68 - 70


Dimensions (cm)




for size 400 cm Ø:

Dimensions (cm) for size 400 x 300 cm:







Crank mechanism integrated

in handle



4 000570 789028















Assembly instructions

ca. 400 cm Ø











100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand incl. light-proof protective sleeve with zip and rod

Frame:

anthracite grey powder-coated aluminium frame, one-part pole 67 x 50 mm, braces 13 x 19 mm, LED light strips in the braces (the included batteries are charged by a solar module on the canopy or with the included USB cable, battery charge lasts ca. 6 hours), rotary plate for rotating 360° with foot pedal, tilting, includes cross base for 50 x 50 x 5 cm paving slabs (slabs not included)





Braces with LED light strips




Crank mechanism integrated




Solid rotary joint with foot pedal

TIP: For matching accessories, please refer to page 68 - 71









ca. 300 cm Ø



Application video



Assembly instructions



Rhodos Rondo

350 cm Ø Art. no. 792-..




Canopy:

100 % polyester, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand, with band trim, incl. light-proof protective sleeve with zip and rod

Frame:

silver grey powder-coated aluminium frame, one-part pole 53 x 77 mm, rotates 360°, tilting, braces ca. 14 x 24 mm, very sturdy brace joints, includes cross base f or $50 \times 50 \times 5$ cm paving slabs (slabs not included)






Adjustable inclination




Solid rotary joint with foot pedal

TIP: For matching accessories, please refer to page 68 - 71

















Application video











Canopy:

100 % polyester, ca. 180 g/m², rot-proof, water-repellent impregnation, with air vent, removable for washing by hand incl. light-proof protective sleeve with hook and loop fastener and rod

Frame:

silver grey powder-coated aluminium frame, extension arm ca. 40 x 80 mm, 55 cm extendable, easy-to-operate slider with button, tilt mechanism with button, braces ca. 18 x 12 mm,

180° swivelling, lockable in 9 positions, umbrella detachable from the boom

Sturdy mounting plate



Closes in tight spaces




Slider with button



MH = Mounting height can be determined individually Recommendation center mounting plate = 194 cm

MH =

Dimensions (cm):



Application video



Assembly instructions





4 000570 647447

617-14 silver grey













270 cm Ø

Rhodos Twist GREEN STYLE

Venedig GREEN STYLE

300 x 300 cm Art. no. 727-15




Canopy:

100 % recycled PET, ca. 200 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand incl. light-proof protective sleeve made of 100% recycled PET with zip and rod

Frame:

anthracite grey powder-coated aluminium/steel frame, one-part pole 53 x 80 mm, braces ca. 26 x 18 mm, rotary plate for rotating 360° with foot pedal, tilting, tilts sideways along the arm, includes cross base for $50 \times 50 \times 5$ cm paving slabs (slabs not included)











Details about UV protection, dimensions etc. analogous to the Rhodos Twist umbrella on page 44.



Canopy:

100 % recycled PET, ca. 180 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

Frame:

silver grey powder-coated aluminium frame, round braces with 16 mm Ø, crank, metal tilt mechanism, two-part pole 38 mm Ø





Details about UV protection, dimensions etc. analogous to the Venedig umbrella on page 24.







The sunny line of umbrellas is ideal for advertising campaigns, supplements or secondary placement. EU and Asian imports, stringently tested in accordance with Schneider quality standards, guarantee functional and durable umbrellas.

The "sunny" sales display

allows the orderly display of the sunny products on page 56 – 58 – just where you need it: with the product assortment, as a secondary display or at the point of sale.

The display is delivered empty and must be assembled!

Art no. 934-00



Shorty

180 cm Ø

Art. no. 616-00



100 % polyester, ca. 140 g/m², rot-proof, water-repellent impregnation, with valance, 3 different stripe designs

Frame:

white powder-coated steel frame, three-part pole part 19/22 mm, folding mechanism for compact transport size (ca. 65 cm), includes carrying bag of the same fabric, with strap

Packaging unit: 12 items (The "sunny" sales display on page 55 is designed for 2 packaging units = 24 items)





All single parts can be stowed in practical carrying bag. Small size ca. 65 cm



HNEIDER



180 cm Ø

Art. no. 767-00

Canopy:

nylon, in practical carrying bag with carrying strap, assorted colours: berry, mandarin, apple green, blue

Frame:

silver grey powder-coated steel frame, two-part pole 19/22 mm, with removable ground spike and base plate

Packaging unit: 12 items (The "sunny" sales display on page 55 is designed for 2 packaging units = 24 items)



Ground spike and base plate for easy insertion and secure holding







All single parts can be stowed in practical carrying bag.



Isar

180 cm Ø

Art. no. 762-00

Canopy: nylon with valance

Assorted colours: mandarin, aqua, green

Frame: white powder-coated steel frame, two-part pole 19/22 mm, metal tilt mechanism

Packaging unit: 12 items (The "sunny" sales display on page 55 is designed for 3 packaging units = 36 items)







Merkur

200 cm Ø

Art. no. 740-00

Canopy: 100 % polyester, ca. 160 g/m²,

rot-proof, with valance,

in assorted colours: ecru, red, apple green, blue

Frame: white powder-coated steel frame, two-part pole 22/25 mm, metal tilt mechanism

Packaging unit: 12 items (The "sunny" sales display on page 55 is designed for 2 packaging units = 24 items)







CHNEIDER

Avellino 180 x 130 cm


Art. no. 611-..

Canopy: 100 % polyester, ca. 160 g/m², rot-proof, water-repellent impregnation, removable for washing by hand, includes polyester bag

Frame: anthracite grey powder-coated steel frame, two-part pole 25 mm Ø, rotates and tilts in all directions, adjustable up to 56 cm sideways and 81 cm in height

Packaging unit: 6 items (The "sunny" sales display on page 55 is designed for 2 packaging units = 12 items)

















Napoli

270 cm Ø Art. no. 707-..





100 % polyester, ca. 160 g/m², rot-proof, water-repellent impregnation, without valance, with air vent, removable for washing by hand

Frame:

anthracite grey powder-coated steel frame, two-part pole 38 mm \emptyset ,

12 x 18 mm braces, crank, metal tilt mechanism

Packaging unit: 4 items


(The "sunny" sales display on page 55 is designed for 2 packaging units = 8 items)


































Teneriffa

ca. 360 x 360 x 360 cm

Art. no. 230-..

ca. 500 x 500 x 500 cm

Art. no. 231-..

ca. 360 x 360 cm

Art. no. 232-..

ca. 500 x 500 cm

Art. no. 233-..



High-quality tear-resistant HDPE fabric, ca. 185 g/m², rot-proof, highly fade-resistant, water-repellent, wind and water permeable, UV protection ca. 90 %, 3 or 4 stainless steel fastening rings, reinforced and tear-resistant edge seam, convex edges for good fit, includes fastening rope ca. 10 m



Fastening rings of stainless steel



Fastening rope ca. 10 m

Shapes, sizes and colours:



ca. 360 x 360 x 360 cm Packaging unit: 1 item

ca. 500 x 500 x 500 cm Packaging unit: 1 item



ca. 360 x 360 cm Packaging unit: 1 item

ca. 500 x 500 cm Packaging unit: 1 item



ca. 360 x 250 cm Packaging unit: 1 item

ca. 500 x 360 cm Packaging unit: 1 item





















4 000570 235143

Lanzarote

ca. 360 x 360 x 360 cm

Art. no. 240-..

ca. 400 x 400 x 300 cm Art. no. 241-..

ca. 300 x 250 cm

Art. no. 242-..

ca. 360 x 360 cm Art. no. 244-..



100 % polyester, rot-proof, water-repellent impregnation, UV protection ca. 50 %, 3 or 4 stainless steel eyelets, double sewn edge seam, includes fastening rope ca. 10 m



Stainless steel eyelets



Fastening rope ca. 10 m

...-78

apple green

Shapes, sizes and colours:



ca. 360 x 360 x 360 cm Packaging unit: 4 items

ca. 400 x 400 x 300 cm Packaging unit: 4 items



4 000570 240004

4 000570 04465







silver grey





ca. 360 x 360 cm Packaging unit: 2 items









ca. 300 x 250 cm Packaging unit: 4 items







Clamping anchor

for guying shade sails,

made of stainless steel hooks on both sides length 150 – 218 mm





Packaging unit: 5 items



D-shackle

for fastening shade sails,

made of stainless steel 6 mm Ø, inner width 12 mm



Packaging unit: 5 items



Holding eyelet

for fastening shade sails,

made of stainless steel Slab: 65 x 40 mm, hole Ø 5 mm Eyelet: 28 mm high, 6 mm Ø





Packaging unit: 5 items

Eyelet bolt

for fastening shade sails,

made of stainless steel, includes 2 nuts and 2 flat washers

Total length: 140 mm Thread: M6 x 100 mm Eyelet: 30 mm outer Ø



Packaging unit: 5 items



Snap connector

for fastening shade sails,

made of stainless steel 6 x 60 mm






Packaging unit: 5 items

Tension spring

for guying shade sails,

made of stainless steel great stability, tensile force: 300 N Length ca. 145 mm










for fastening shade sails,

made of steel, hot galvanised, great stability, ca. 60 mm Ø, height ca. 241 cm, rotates 360° for ideal alignment in the ground plate, fastening point continuously height adjustable from 145 cm to 230 cm, includes cable hoist with 5 m fastening rope and snap connector including rope clip and cleat matching our universal ground plate (Art. no. 897-00) matching our universal ground anchor (Art. no. 897- 50)



Packaging unit: 1 item





Sales display



for shade sails and accessories

Free-standing metal display on a EURO pallet with informative sign on top and room for scanner labels. Delivered assembled and fully equipped.

Front



Rear

Art. no.: 937-00



Standard layout front Teneriffa shade sail

Quantity	Article number		Designation and size	Colour
2 items	230-02		360x360x360 cm	ecru
2 items	230-14		360x360x360 cm	silver grey
2 items	231-02		500x500x500 cm	ecru
2 items	231-14	ail	500x500x500 cm	silver grey
2 items	232-02	e s	360x360 cm	ecru
2 items	232-14	Feneriffa shade sai	360x360 cm	silver grey
2 items	233-02	iffa	500x500 cm	ecru
2 items	233-14	Tener	500x500 cm	silver grey
2 items	234-02		360x250 cm	ecru
2 items	234-14		360x250 cm	silver grey
2 items	235-02		500x360 cm	ecru
2 items	235-14		500x360 cm	silver grey

Standard layout rear Lanzarote shade sail & accessories

Quantity	Article number		Designation and size	Colour		
4 items	240-02		360x360x360 cm		ecru	
4 items	240-14		360x360x360 cm		silver grey	
4 items	240-77		360x360x360 cm		red	
4 items	241-02	rote	400x400x300 cm		ecru	
4 items	241-14	DZ	400x400x300 cm		silver grey	
4 items	241-78	a.	400x400x300 cm		apple green	
4 items	242-02	sail Lanzarote	300x250 cm		ecru	
4 items	242-14	ge	300x250 cm		silver grey	
4 items	242-77	Shade	300x250 cm		red	
4 items	244-02	S	360x360 cm		ecru	
4 items	244-14		360x360 cm		silver grey	
4 items	244-78		360x360 cm		apple green	
5 items	250-10	Clamping anchor				
5 items	250-20	D-shackle				
5 items	250-30	Holding eyelet				
5 items	250-40	Eyelet bolt				
5 items	250-50	Snap connector				
5 items	250-60	Tension spring				
2 items	251-00	Pole				
2 items	897-00	Universal ground plate				







The practical accessories ensure secure support of your Schneider umbrellas wherever they are used. Schneider umbrella accessories, like all other Schneider products, are carefully inspected for quality and workmanship.

The new standardised packaging enhances the appearance to boost sales at the point of sale.

NEW in Accessories:



Steel balcony umbrella stand

(page 75)

Trolley granite stand

(page 78)



Universal mounts

Installation on one of the mounts requires that the rotary plate (see detail images) be directly screwed onto the selected mount using the screws (M8x20) that have been included with the umbrella.

There is therefore no need for the cross base. You can store the base and use it as needed if you change locations temporarily.


The elimination of the cross base reduces the overall height of the umbrella by about 5 cm.

Our tip: Before you use one of the mounts listed, we recommend that you first use the umbrella with the included cross base for a few weeks in order to determine the ideal location for your umbrella.

Suitable for

- Monaco 3 x 3 m
- Bermuda
- Rhodos Junior series
- Rhodos Grande (universal ground plate + universal wall console only)
- Rhodos Twist series
- Rhodos
- Rhodos Blacklight
- Rhodos Rondo
- Rhodos Smart
- Genua
- Pole for shade sail (except universal ground stake)

Hole pattern: Dimensions in mm



Universal wall console

For installation on walls, hot galvanised, mounting plate ca. 20 x 16 cm, great stability, space-saving installation option,

size: 21 x 16 x 16 cm

Suitable for the umbrellas listed above, depending on the height of the wall and the fastening point of the universal wall console.

















Universal ground plate

to be set in concrete, hot galvanised, mounting plate ca. 16 x 16 cm, total height ca. 40 cm












For anchoring in the ground* or setting in concrete, hot galvanised, mounting plate ca. 16 x 16 cm, total height ca. 45 cm

* Only in undisturbed topsoil! Not suitable for sandy or stony soils!

Art. no. 897-50



Minimum dimensions for the concrete foundation:











Universal ground stake

For anchoring, hot galvanised, mounting plate ca. 16 x 16 cm, total height ca. 55 cm, anchoring tool included







Hanging umbrella wind stabiliser



This wind stabiliser made of robust, black polyester straps reduces unsteadiness of the umbrella caused by wind and therefore also the strain on the umbrella frame. It can be mounted on all hanging umbrellas with a locking screw on the lower part of the pole and a maximum pole circumference of 260 mm, without the use of tools.

IMPORTANT:

The hanging umbrella wind stabiliser does not increase the stability of the hanging umbrella. The stability depends primarily on the weight and the size of the umbrella stand that is used! The wind stabiliser only reduces the movement of the canopy and the strain on the umbrella frame. The hanging umbrella should always be closed in windy conditions.

Suitable for the following hanging umbrellas:

- Monaco 3 x 3 m Bermuda
- Rhodos Grande Rhodos Twist series
- Rhodos Rhodos Blacklight Rhodos Rondo
- Rhodos Smart

Scope of delivery:

1x pole fastener 2x brace fasteners 2x tie-down straps







Slabs for hanging umbrellas

Slabs suitable for cross bases of hanging umbrellas. For filling with water from the side. Filled 100 kg and therefore suitable for hanging umbrellas. Walkable! The interlocking design creates a continuously connected unit.

Overall height of the umbrella is about 5cm higher.


Suitable for our umbrellas:

- Monaco 3 x 3 m Bermuda Rhodos Junior series
- Rhodos Twist-Serie Rhodos Rhodos Blacklight
- Rhodos Rondo Genua

1 set consists of 4 elements. Total size ca. 111 x 111 x 12 cm Empty weight: ca. 12 kg/set










Stand for

hanging umbrellas, mobile

Sturdy frame of powder-coated steel with foot pedal for raising, anthracite grey plastic cover colour matched to our hanging umbrellas, 4 PU-coated steering rollers, 5 plastic tanks for filling with sand and/or water, total weight ca. 110 kg (with sand) or ca. 90 kg (with water), overall height of umbrella is about 15 cm higher.

Hole pattern for mounting the umbrella holder.





Ready to move when foot pedal is pressed



Plastic tanks and rollers



Plastic tank for filling

Suitable for our umbrellas:

- Monaco 3 x 3 m
- Bermuda
- Rhodos Junior series
- Rhodos
- Rhodos Twist series
- Rhodos Blacklight
- Rhodos Rondo
- Rhodos Smart







Steering bar for mobile stands for hanging umbrellas

Allows effortless movement of the mobile hanging umbrella stand by mounting between the rotating plate of the umbrella and the mounting plate of the umbrella stand.


Rod is collapsible.

Can also be retrofitted in existing hanging umbrella stands (Art. no. 319-15).

Can also be used with other mobile umbrella stands with a suitable hole pattern.

Hole pattern for mounting.

Dimensions in mm:



Art. no. 319-50







Table clamp

made of galvanised steel, for poles up to 32 mm \varnothing

Clamping area: round profiles: 40 mm \varnothing

Flat profiles: 38 mm Ø







Art. no. 801-00



Blister packaging made of recycled PET bottles.

Packaging unit: 12 items

Balcony clamp

made of galvanised steel, Clamping area: 190 mm

for vertical mounting: for horizontal mounting:

for poles up to 25 mm \varnothing for poles up to 32 mm \varnothing

(For poles up to 38 mm Ø only approved for use with additional balcony stand or second balcony clamp.)

Art. no. 802-00



Blister packaging made of recycled PET bottles.

Packaging unit: 6 items





Lawn spike

made of galvanised steel, for poles up to 25 mm \varnothing






Blister packaging made of recycled PET bottles.

Packaging unit: 6 items





Lower poles




Packaging unit: 6 items



(inside:

23 mm Ø)





Packaging unit: 6 items

Ground sleeve

of anodised aluminium, for poles with 38 - 50 mm Ø for large umbrellas up to 400 cm \varnothing

Blister packaging made of recycled PET bottles.







Packaging unit: 4 items

Ground screw

made of galvanised steel, for 38 - 58 mm Ø poles, 3 sturdy centring screws, total length: 50 cm







Art. no. 888-00



Packaging unit: 6 items

Four-peg lawn anchor

made of galvanised steel, collapsible, disassembled on delivery, for 25 - 38 mm Ø poles, for umbrellas up to 300 cm Ø







Packaging unit: 4 items

Umbrella holders Foxi and Maxi





Innovative umbrella mounts for stable and secure mounting of sun umbrellas on balcony rails.

The two half shells of the umbrella holder are each securely held by four screws, fastening the umbrella pole securely to the balcony rail.

The Allen key needed for this is included.

Fibre-reinforced plastic provides maximum stability and an aesthetic design with no edges or corners.

Blister packaging made of recycled PET bottles.



Foxi umbrella holder



Combinations:

Umbrella poles with	25 mm Ø	30 mm Ø	32 mm Ø	38 mm Ø	
Round tube 5/4" (42.4 mm Ø)	yes	yes	yes	no	



Maxi umbrella holder





Combinations:

Umbrella poles with	25 mm Ø	30 mm Ø	32 mm Ø	38 mm Ø
Round tube 1" (33.7 mm Ø)	yes 1)	yes 1)	yes 1)	yes
Round tube 5/4" (42.4 mm Ø)	yes 1)	yes	yes	yes
Square tube 35 x 35 mm	yes	yes	yes	yes
Rectangular tube 50 x 30 mm	yes	yes	yes	yes 2)
Flat steel 40 x 6 mm	yes 1)	yes 1)	yes 1)	yes
Flat steel 50 x 6 mm	yes	yes	yes	yes
T-profile 40 x 40 x 6 mm	yes	yes	yes	yes

¹) Only with M8x70 screws (M8x90 screws are included)

²⁾ Only with M8x100 screws (M8x90 screws are included)



Granite balcony umbrella stand

SCHNEIDER Zubehör

ca. 25 kg granite

polished granite surface, stainless steel tube with press-in tab, for $25 - 40 \text{ mm} \varnothing \text{ poles}$

for centre-pole umbrellas up to 200 cm Ø and small rectangular umbrellas

Art. no. 865-00



Packaging unit: 10 items



Concrete balcony umbrella stand

ca. 20 kg concrete

plastic casing filled with concrete, for poles with 25 - 32 mm Ø, for centre-pole umbrellas up to 200 cm Ø mand small rectangular umbrellas

Art. no. 889-14 silver grey



Packaging unit: 10 items



PE balcony stand

ca. 25 ltr., for filling with water

for 25-32 mm Ø poles,

for centre-pole umbrellas up to 200 cm Ø and small rectangular umbrellas, to be filled with sand or water

Art. no. 862-15 anthracite



Packaging unit: 5 items



Balcony cross base

for poles with 30-40 mm \varnothing , for 40 x 40 cm or 50 x 50 cm paving slabs, for centre-pole umbrellas up to 250 cm \varnothing and small rectangular umbrellas, (slabs not included)

Art. no. 864-00



Packaging unit: 4 items



Steel balcony umbrella stand

ca. 23 kg steel

silver grey powder-coated flat steel plate with a thickness of 15 mm, stainless steel tube with press-in tab, for 25 - 40 mm \varnothing poles, rubber feet to protect the ground, for centre-pole umbrella up to 200 cm \varnothing and small rectangular umbrellas



Packaging unit: 10 items



PE stands for water


ca. 20 litres for poles from $25 - 32 \text{ mm } \emptyset$, to be filled with sand or water Packaging unit: 5 items, minimum order quantity: 60 items







ca. 45 litre, for poles from 38 - 50 mm Ø, to be filled with sand or water, with roller Packaging unit: 3 items, minimum order quantity: 36 items









PE stands for sand

ca. 45 kg

with rollers and recessed handle. for 30 - 50 mm Ø poles, for centre-pole umbrellas up to 300 cm Ø



Packaging unit: 4 items



Cross base **Standard**

for 25 - 50 mm Ø poles for 40×40 or 50×50 cm paving slabs for large umbrellas up to 400 cm Ø (slabs not included)

Art. no. 837-15



Packaging unit: 4 items





Cross base Plus

for 38 - 50 mm Ø poles for 40 x 40 cm paving slabs for large umbrellas with a diameter of up to 400 cm or large rectangular umbrellas Tube with 2 screws and press-in tab (slabs not included)



Packaging unit: 4 items





Made in

Europe



ca. 20 kg, for poles with 25 - 32 mm Ø, for centre-pole umbrellas up to 200 cm Ø and small rectangular umbrellas, plastic sleeve, with recessed handles

Packaging unit: 10 items



Art. no. 877-14 silver grey





Art. no. 877-15 anthracite





Concrete stand

ca. 30 kg, for 30 - 40 mm Ø poles, for centre-pole umbrellas up to 250 cm Ø and large rectangular umbrellas, plastic sleeve, with recessed handles





ca. 30 kg

Packaging unit: 10 items



Art. no. 878-15 anthracite



Concrete stand

ca. 40 kg, for 30 - 50 mm Ø poles, for centre-pole umbrellas up to 300 cm Ø, plastic sleeve, roller, handle





Packaging unit: 6 items



Art. no. 898-15 anthracite



SCHNEIDER Zubehör

Granite stand

polished granite surface, stainless steel tube, no need for plastic reduction rings, two recessed handles on sides

ca. 30 kg, round

for poles with 25 - 40 mm \varnothing , for centre-pole umbrellas up to 250 cm \varnothing and small rectangular umbrellas

Art. no. 867-00



Packaging unit: 10 items



Granite stand

polished granite surface, stainless steel tube, no need for plastic reduction rings, two recessed handles on sides

ca. 42 kg, square

for poles with 38 - 50 mm Ø, for centre-pole umbrellas up to 360 cm Ø

Art. no. 869-00



Packaging unit: 10 items



Trolley granite stand

polished granite surface,
stainless steel tube with reducing rings
made of robust plastic,
two integrated wheels and a practical
extendable handle allow for effortless movement,
two recessed handles on sides,
rubber feet to protect the ground

ca. 45 kg, square

for poles with 32 - 48 mm \emptyset , for centre-pole umbrellas up to 360 cm \emptyset



Art. no. 333-00



Packaging unit: 10 items

Protective sleeves

for sun & market umbrellas

100% polyester, light-proof for perfect protection against UV radiation and fading of the umbrella, water-repellent coating, breathable

Blister packaging made of recycled PET bottles. Packaging unit: 6 items

135 x 20/25 cm Art. no. 817-00

for umbrellas up to 200 cm Ø



183 x 25/35 cm Art. no. 821-00

for umbrellas up to 300 cm Ø with zip and rod



250 x 27/44 cm Art. no. 833-00

for umbrellas up to 400 cm Ø with zip and rod









for umbrellas up to 300 cm and $400 \text{ cm } \emptyset$, with zip and rod

Protective sleeves

for hanging umbrellas

100% polyester, light-proof for perfect protection against UV radiation and fading of the umbrella, water-repellent coating, breathable

Blister packaging made of recycled PET bottles. Packaging unit: 6 items

206 x 35/38 cm Art. no. 813-00

for hanging umbrella up to 300 cm Ø with zip



240 x 57 cm

Art. no. 813- 40 for hanging umbrellas up to 400 cm Ø, 300 x 300 cm and 350 x 260 cm, with zip and rod






for hanging umbrellas up to 300 cm Ø, with zip

for hanging umbrellas up to 400 cm Ø, 300 x 300 cm and 350 x 260 cm, with zip and rod

POS displays



Grid insert for accessories



- ideal for small presentations
- right next to the umbrellas
- no additional floor space needed

Art. no. 935-00



Sales displays for sun umbrellas

Provides space for: - standard umbrellas with 25 - 32 mm tube \varnothing

- market umbrellas with 38 mm tube Ø

- large umbrellas with 48 mm tube Ø

Features: - surface area of half a EURO pallet

- can be stocked individually

- can be linked for uniform alignment

- endless combinations

- low removal height (28 cm)

- stackable

- washable

- 2 scanner strips with optimal scanning position

- no scratching of umbrella poles

- umbrellas stand upright, saving space

Art. no. 930-00



Display for accessories



(includes double hooks) Delivered assembled and fully equipped.

Art. no. 940-00

Display for hanging umbrellas



(includes slanted shelf)
Delivered disassembled.

Art. no. 941-00

Display for umbrella stands



Provides space for ca. 2 x 10 umbrella stands. Delivered assembled and fully equipped.

Art. no. 890-00

Display for umbrella stands



Provides space for 15 PE 20 ltr. stands or 9 PE 45 ltr. stands. Size: ca. 53 x 53 x 215 cm

Art. no. 936-00





500	SCH	NE	ID	ER
7.0		Day		

753	Aquila 200/8	8	1	1	1	✓			1	1	1			✓	✓	•
754	Aquila 250/10	8		A		✓			•	A		✓		•	•	
755	Aquila 225 x 120	9	1	1		✓			1	1	321-00 only	1		1	1	•
756	Aquila 265 x 150	9		A		✓			•	A		✓		•	•	
775	Monaco 350/8	12					✓	1								
644	Gemini 360/8	14					1	1					1			

SCHNEIDER

1	Classics															
715	Locarno 150/8	18	1	1	1	1			1	1	1			1	1	1
716	Locarno 200/8	18	1	1	1	1			1	1	✓			✓	1	•
717	Locarno 220/10	18		A	1	1			A	A	✓			•	•	•
718	Locarno 180x120	18	1	1	1	1			1	1	1			1	1	•
680	Ibiza 200/8	19	1	1	1	1			1	1	1			1	1	•
681	Ibiza 240/8	19		•		1			A	A	✓			•	•	•
682	Ibiza 180 x 120	19	1	1	1	1			1	1	1			1	1	•
620	Bilbao 220/6	20		A		1	1	1		1		✓		✓		
621	Bilbao 210 x 130	20		A		1	1	1		1		1		1		
640	Harlem 270/8	21		A		1	1	1		•		1		•		
783	Orlando 270/8	22		A		1	1	1		A		1		•		
790	Blacklight 270/8	23		A		1	1	1		A		1		•		
683	Venedig 270/8	24		A		1	1	1		A		1		•		
664	Sevilla 270/6	25		A		1	1	1		A		1		•		
667	Sevilla 240 x 140	25		A		1	1	1		A		1		•		
742	Tunis 270 x 150	26		A		1	1	1		A		1		•		
643	Porto 300 x 200	27		A			1	1		A			1	•		
752	Oslo 300 x 200	28		A			1	1		•			1	•		
688	Cordoba 230x150	30		A		1	1	1		A		1		•		
689	Cordoba 270/6	30		A		1	1	1		A		✓		•		
615	Malaga 300 x 200	31					1	1					1			
614	Malaga 300/8	31					1	1				1				
684	Adria 300/8	32					1	1				1				
685	Adria 350/8	32					1	1					1			
711	Korsika 320/8	33					1	1				1				
746	Salerno 300 x 150	36/37		A		1	1	1		A				•		
747	S. mezza 150 x 150	38														
758	Novara 190 x 140	39		A		1			A	A				•	•	•

616-00	Shorty 180/8	56	✓	1	1						1		1	1	•
767-00	Easy 180/8	56	1	1	1						✓		1	1	•
762-00	Isar 180/8	57	1	1	1						✓		✓	1	•
740-00	Merkur 200/8	57	1	1	1	✓			1	1	✓		1	1	•
611	Avellino 180 x 130	57		A		1			A	_			•	•	•
707	Napoli 270/6	58		A		✓	✓	1		A		✓	•		
625	Bergamo 300/6	58		A		1	1	1		A		1			

- ✓ Possible combination
- Additional fastening on balcony rail is necessary!
 Additional fastening necessary by umbrella stand or second umbrella holder!



Balcony cross base	Steel balcony umbrella stand ca. 23 kg	Cross stand Standard	Cross stand Plus	PE stand ca. 20 ltr.	PE stand ca. 45 ltr.	PE stand ca. 45 kg	Concrete stand ca. 20 kg	Concrete stand ca. 30 kg	Concrete stand ca. 40 kg	Granite stand ca. 30 kg	Granite stand ca. 42 kg	Trolley granite stand ca. 45 k
Y	1	人	K	4		4	4	4	4		4	4
864-00	332-14	837-15	822-15	855-01 white 855-15 anthr.	856-01 white 856-15 anthr.	857-15 anthr.	877-14 silver grey 877-15 anthr.	878-15 anthr.	898-15 anthr.	867-00	869-00	333-00
75	75	76	76	76	76	76	77	77	77	78	78	78
	<i>y</i>	1		1			1	√		1		
•	•	<i>J</i>		1		1	1	√ √	<i>J</i>	<i>J</i>		
•	•	✓ ✓		•			V	√	1	✓		
		1	1						•	•	1	1
		1	1								1	1
											,	
	1	/		1			1	1		1		
	1	1		✓			1	✓		1		
	•	✓						✓		1		
	1	1		✓			√	1		1		
	✓ •	1		√			✓	√		/		
	•	<i>J</i>		/			1	<i>√</i>		<i>J</i>		
/	<i>J</i>	<i>y</i>	√	V	/	/	7	√ √	/	✓ ✓	/	/
✓	✓	1	✓		✓	/		✓	<i>y</i>	✓	✓	1
•	•	1	✓ /		1	1			1		1	1
•	•	1	1		/	1			1		1	1
•	•	1	1		1	1			1		1	1
•	•	✓	✓		1	1			1		1	1
•	•	1	1		1	1			1			1
•	•	✓	✓		1	1			1			1
•	•	<i>\</i>	/		/	/			/		/	1
•	•	<i>J</i>	<i>J</i>			✓ ✓			<i>J</i>		<i>J</i>	✓ ✓
•	•	✓ ✓	✓		1	/			<i>y</i>		✓	1
•	•	1	✓ /		1	1			1		1	1
		1	1			1			1		1	1
		1	√			1			1		1	1
		✓	1			1			1		1	1
		1	1								1	1
		/	✓						/		1	/
✓ ✓	•	√	√		/	1			/		√	/
1	•	1				1			1			1
•		V										
	√	√		✓			1					
	<i>J</i>	1		1			1					
	√ √	<i>J</i>		✓ ✓			√ ✓	/		1		
	•	✓ ✓		V			V	√ -		1		
•	•	1	1		1	1			1		1	1
•		1	1			1			1		1	1



Xaver Schneider GmbH & Co. KG \cdot Schirmfabrik

Obereschring 1 • 88512 Mengen • Germany

Phone +49 (0) 7572 7636-0 Telefax +49 (0) 7572 7636-126

info@schneider-schirme.com www.schneider-schirme.com www.schneider-werbeschirme.com

Visit us also at:









Website







All dimensions are approximate! Subject to colour and size deviations, as well as technical modifications.